IMP. INST. ENT.
— LIBRARY —
- 8 JUN 1938
SERIAL
SEPARATE

# INDEX TO

# THE FLORIDA ENTOMOLOGIST

Volumes I to XIX

# INDEX TO THE FLORIDA ENTOMOLOGIST VOLS. I - XIX

## TABLE OF CONTENTS

### VOLUME 1 *

Berger, E. W. Entomology in the preparedness campaign ..... 9-10
Bradgon, K. E. The sweet potato root weevil in Florida ..... 13-15
Stirling, Frank. Bee keeping in Florida ..... 49-52
Watson, J. R. The Florida Entomological Society—its history and aims ..... 1-4
Watson, J. R. The Florida Buggist ..... 5-6
Watson, J. R. Brief and timely notes ..... 6-8
Watson, J. R. Some injurious insects ..... 10-11
Watson, J. R. Thysanoptera of Florida ..... 53-55, 65-78
Wilson, C. E. The Anopheles mosquito in relation to malaria and agriculture ..... 18-19, 22-23
Wilson, R. N. Notes on some insects of south Florida in 1917 ..... 40-43
Yothers, W. W. What the Florida citrus grower needs ..... 16-17
Yothers, W. W. The effects of the freeze of February 2-4, 1917 on the insect pests and mites on citrus ..... 30-35, 38-40

### VOLUME 2

Anon.** The cuban citrus thrips in Florida ..... 120
Berger, E. W. Entomology as a pure science ..... 81-85
Stirling, Frank. Modern beekeeping ..... 102-103, 106-109
Watson, J. R. The California Delphastus ..... 88
Watson, J. R. An outbreak of the cotton stainer on citrus ..... 88-90
Watson, J. R. New Thysanoptera from Florida—IV ..... 97-102
Watson, J. R. and Osborn, Evelyn. Additions to the Thysanoptera of Florida—V ..... 116-119

### VOLUME 3

Anon. The chase of Catocala ..... 8-11
Drake, Carl J. A new species of Velia from Florida (Hem.-Het.) ..... 1-2
Drake, Carl J. An undescribed Teleonemia from Florida and Jamaica (Hemip.) ..... 24-25
Loftin, U. C. Mosquitoes found about Gainesville, Florida. 4 pls., 23 figs. ..... 18-23, 28-29
Loftin, U. C. Mosquitoes found about Gainesville, Florida, Mosquitoes and disease ..... 37-43, 48-50
Loftin, U. C. Mosquitoes found about Gainesville, Florida, Traps for mosquitoes. 3 pls., 3 figs. ..... 53-59, 67-71
Moznette, G. F. Annotated list of the injurious and beneficial insects of the avocado in Florida ..... 45-48
Watson, J. R. Additions to the Thysanoptera of Florida—V ..... 2-7
Watson, J. R. The native host-plant of the camphor thrips ..... 25-27
Watson, J. R. A new Physothrips from Oregon ..... 32
Watson, J. R. Key to North American species of Physothrips ..... 71

---

*Vol. 1, No. 4 and Vol. 2, No. 1 are combined.

**The index to the first ten volumes was originally prepared by Mr. H. E. Bratley, but due to the bulk of his index all cross references have been eliminated. As it now stands there is a table of contents arranged by volumes and an index to the specific and variety names of the insects discussed. Only rarely are common names used in the index.

The author is greatly indebted to the members of the University of Florida Agricultural Experiment Station, Department of Entomology, for assisting in the preparation of this index.

Subsequent volumes will be indexed in the last number of each volume.

With very few exceptions the articles listed as Anon. were written by the editor.

(Signed) J. W. WILSON

VOLUME 4

Anon. A food plant of Languria discoidea Lec. ..... 40-41
Drake, Carl J. Notes on some American Tingidae, with descriptions of new species. 1 pl., 6 figs. ..... 56-58
Hodge, C. F. The mosquito-malaria problem in Florida ..... 1-6
Moznette, G. F. Luminous beetles of Florida ..... 17-18
Stirling, Frank. The honeybees own troubles ..... 56-58
Watson, J. R. An apparently new Haplothrips from Cuba ..... 7, 12
Watson, J. R. New Thysanoptera from Florida—VII ..... 13
Watson, J. R. A case of serious sickness due to the puss moth caterpillar ..... 13-14
Watson, J. R. New Thysanoptera from Florida—VII ..... 18-23, 27-30
Watson, J. R. Notes on some Florida weevils ..... 33-35
Watson, J. R. New Thysanoptera from Florida—VIII ..... 35-39

VOLUME 5

Chaffin, Jeff. Mealybugs ..... 31-33
Drake, Carl J. On some north and south American Tingidae (Hemip.). 1 fig. ..... 37-43, 48-50
Felt, E. P. Mycodiplosis moznetti n. sp. ..... 46
Grossenbacher, J. G. It pays to control rust mite ..... 33-35
Mason, Arthur C. A host plant list of aphids in the vicinity of the University of Florida ..... 21-25
Mason, Arthur C. Life history studies of some Florida aphids ..... 53-59, 62-65
Osborn, Herbert. Homoptera of Florida ..... 1-19
Watson, J. R. New Thysanoptera from Florida—IX ..... 65-66
Watson, J. R. Another new thrips from coconuts from Cuba ..... 66-67
Watson, J. R. Some beetles new to Florida ..... 67-68

VOLUME 6

Ainslie, Geo. G. The corn leaf-tier, Lerema accius S. & A. ..... 1-4, 10-15
Ainslie, Geo. G. The Crambinae of Florida ..... 49-55
Anon. Delphastus at Bradenton ..... 57
Beyer, A. H. Studies on Entomogenous fungi ..... 61
Felt, E. P. A new and remarkable fig midge ..... 5-6
Mason, Arthur C. Relation of environmental factors to wing development in aphids ..... 25-32
Mason, Arthur C. A new citrus insect ..... 43-44
Osborn, Herbert. New species of Cicadellidae from the southern U. S. (Homoptera) ..... 17-20
Stirling, Frank. The Psocid of the oaks ..... 44
Watson, J. R. Another camphor thrips ..... 6-7
Watson, J. R. Additions to the Thysanoptera of Florida—X ..... 21-23
Watson, J. R. The greenhouse thrips out-of-doors in northeastern Georgia ..... 23
Watson, J. R. On a collection of Thysanoptera from Rabun County, Georgia ..... 33-39, 47-48
Watson, J. R. Hymenorus obscurus as a pest of citrus (Col. cistelidae) ..... 43
Watson, J. R. A new thrips from citrus in Alabama ..... 45
Watson, J. R. A new mealy bug predator for Florida ..... 57-58
Watson, J. R. An addition to the Thysanoptera of Florida—XI ..... 58

VOLUME 7

Anon. The sycamore lace-bug ..... 13-14
Anon. The host of Thecla halesus ..... 16
Anon. Natural control of ants ..... 24
Anon. A promising new bait ..... 24
Anon. Food habits of the pecan twig girdler ..... 26
Anon. A new aphid on citrus ..... 58-59
Bates, Marston D. A geometrid larva on grapefruit ..... 22

Bates, Marston D. Notes on Florida Lepidoptera ..... 42-43
Blatchley, W. S. The Chrysomelidae of Florida. (Cont.) ..... 33-39
Blatchley, W. S. The Chrysomelidae of Florida. (Cont.) ..... 49-57
Ewing, H. E. The generic and specific name of the orange rust mite.... 21-22
Fattig, P. W. The bumble bees of Florida ..... 25
Mason, Arthur C. Is the adult condition of an aphid determined when it is born? ..... 1-7
Rolfs, P. H. Entomological notes from Brazil ..... 11-12
Rolfs, P. H. Brazilian ant eaters ..... 26-28
Stirling, Frank. Southern migration of butterflies ..... 8-9
Watson, J. R. The proper name and distribution of the Florida flower thrips ..... 9-11
Watson, J. R. and Hubbell, T. H. On a collection of Thysanoptera from Honduras ..... 60-62
Yothers, W. W. Citrus conditions in the Rio Grande Valley and the satsuma sections of Alabama together with additional notes on San Jose scale situation in northwestern Arkansas ..... 17-20

VOLUME 8

Anon. The aphid situation ..... 24-25
Beyer, A. H. Life history of the new citrus aphis ..... 8-13
Blatchley, W. S. The Chrysomelidae of Florida. (Cont.) ..... 1-7
Blatchley, W. S. The Chrysomelidae of Florida. (Cont.) ..... 17-23
Blatchley, W. S. The Chrysomelidae of Florida. (Concl.) ..... 39-46
McAtee, W. L. Notes on Eupterygid leaf-hoppers with descriptions of a few forms (Homoptera). 1 fig. ..... 33-39
Moznette, G. F. Mosquito survey of Bamboo Key, Florida ..... 25-28
Watson, J. R. Thysanoptera of North America ..... 29-30
Watson, J. R. Additions to the Thysanoptera of Florida—XII ..... 50-52

VOLUME 9

Anon. Destruction of mole crickets ..... 25
Anon. Nettling caterpillars ..... 45-46
Anon. The citrus aphid in Cuba ..... 57
Branham, Henry G. Reclaiming Eden. 1 pl. ..... 17-25
Crosby, C. R. and Bishop, Sherman C. A new genus and two new species collected by Bufo quercicus (Holbrook). 7 figs. ..... 33-36
Drake, Carle J. Concerning some Tingitidae from the gulf states (Heteroptera) ..... 36-39
Hubbell, Theodore H. Distributional notes on North American Orthoptera—I ..... 41-45
Morgan, A. C. A new genus, a new subgenus and seven new species of Thysanoptera from Porto Rico ..... 1-9
Rogers, J. Speed. A new Dicranomyia allied to Dicranomyia immodesta Osten-Sacken-Tipulidae, Diptera. 4 figs. ..... 49-52
Watson, J. R. Another year of the citrus aphis. (Cont.) ..... 9-13
Watson, J. R. Another year of the citrus aphis. (Concl.) ..... 26-28
Watson, J. R. A new species of Symphyothrips (Thysanoptera) from Argentina. (Cont.) ..... 29-30
Watson, J. R. The camphor thrips in Formosa ..... 39
Watson, J. R. A new species of Symphyothrips (Reticulatus) from Argentina. (Concl.) ..... 45
Watson, J. R. Two new Thysanoptera from Cuba ..... 53-55
Watson, J. R. New Thysanoptera from Florida—XIII ..... 58-59

VOLUME 10

Anon. Decrease of the citrus aphid during summer ..... 25
Anon. A new Haplothrips from Abyssinia ..... 28-29
Anon. Citrus insects of the summer ..... 39-40
Ball, E. D. The genus Phyllodinua and its allies (Homoptera-Fulgoridae) ..... 17-20
Rogers, J. Speed. Some notes on the feeding habits of adult crane-flies ..... 5-8

Rogers, J. Speed. Notes on the biology and immature stages of Gonomyia (Leiponeura) pleuralis (Will.)—Tipulidae, diptera. 3 figs. ..... 33-38
Rogers, J. Speed. Notes on the biology of Atarba picticornis Osten-Sacken. Tipulidae—Diptera. 2 figs. ..... 49-55
Thompson, W. L. A life history study of important lady-beetle predators of the citrus aphid. (Cont.) 1 fig. ..... 40-46
Thompson, W. L. Life history of important lady-beetle predators of the citrus aphid. (Concl.) 1 fig. ..... 57-59
Tissot, A. N. Some observations on the life history of the citrus aphid (Aphis spireacola Patch) ..... 26-27
Tissot, A. N. The identity of the new citrus aphid ..... 56-57
Watson, J. R. New Thysanoptera from Florida—XIII ..... 9-12
Watson, J. R. Ecological and geographical distribution of Thysanoptera of Florida ..... 21-24, 27
Watson, J. R. A new Liothrips from Santo Domingo ..... 59-60
Watson, J. R. New Thysanoptera from Florida. (Cont.) ..... 60-62
Yothers, W. W. Some important entomological features in the citrus growing in regions of the United States ..... 1-3

## VOLUME 11

Ainslie, Geo. G. Additions and corrections to the list of the Crambinae of Florida ..... 12-14
Anon. Factors determining northern limits of Anticarsia gemmatilis 10-12
Anon. Citrus insects of Honduras ..... 53-54
Ball, E. D. The genus Draeculacephala and its allies in North America (Rhynchota, Homoptera) ..... 33-40
Blatchley, W. S. The Scarabaeidae of Florida. (Cont.) ..... 44-46
Blatchley, W. S. The Scarabaeidae of Florida. (Cont.) ..... 55-62
Miller, R. L. and Thompson, W. L. Life histories of lady-beetle predators of the citrus aphid. (Concl.) 8 figs. ..... 1-8
Rogers, J. Speed. Notes on the biology and immature stages of Geranomyia (Tipulidae, Diptera). 7 figs. ..... 17-26
Thompson, W. L. The seasonal and ecological distribution of the common aphid predators of Central Florida ..... 49-52
Watson, J. R. New Thysanoptera from Florida ..... 26
Watson, J. R. The Thysanoptera fauna of the indian pipe. (Cont.) 27-30
Watson, J. R. The English orchid thrips. Native to Florida ..... 41-42
Watson, J. R. The Thysanoptera fauna of the indian pipe. (Concl.) 42-44

## VOLUME 12

Anon. Parasites appreciably delaying the multiplication of the citrus aphid ..... 6-7
Anon. The velvet bean caterpillar, a peanut pest in the everglades .... 39-40
Anon. An outbreak of the semi-tropical army worm ..... 40
Anon. Effect of the hurricane on the abundance of some insects ..... 40-41
Bates, Marston. Notes on the cypress sphinx (Isoparce cupressi) ..... 20-21
Blatchley, W. S. The Scarabaeidae of Florida. (Cont.) ..... 9-14
Blatchley, W. S. The Scarabaeidae of Florida (Cont.) ..... 22-30
Blatchley, W. S. The mexican chicken bug in Florida ..... 43-44
Blatchley, W. S. The Scarabaeidae of Florida. (Cont.) ..... 44-46
Blatchley, W. S. The Scarabaeidae of Florida. (Cont.) ..... 63-65
Drake, Carl J. Four undescribed Tingids from United States ..... 3-5
Drake, C. J. and Harris, Halbert M. Two undescribed water-striders from Grenada ..... 7-8
Grossman, Edgar F. Resumption of egg-laying hibernated cotton boll weevils (Anthonomus grandis Boh.) ..... 33-38
Grossman, Edgar F. Florida longevity records of the cotton boll weevil ..... 57-59
Knowlton, George F. A new juniper aphid from Utah with notes on a few other species. 1 fig. ..... 59-62
Miller, Ralph L. Telenomous megacephalus Ashm., an egg parasite of the green pumpkin bug, Nezara viridula Linn., in Florida ..... 17-20

Miller, Ralph L. Biology and natural control of the green citrus aphid, Aphis spiraecola Patch. 7 figs. ..... 49-56
Tissot, A. N. A new aphid from poison ivy. 1 fig. ..... 1-2

VOLUME 13

Anon. The Mediterranean fruit fly ..... 31
Anon. The Mediterranean fruit fly ..... 43
Blatchley, W. S. The Scarabaeidae of Florida. (Cont.) ..... 33-37
Blatchley, W. S. The Scarabaeidae of Florida. (Cont.) ..... 52-56
Blatchley, W. S. The Scarabaeidae of Florida. (Cont.) ..... 69-77
Bratley, H. E. Notes on Lymire edwardsi Grote, the rubber tree caterpillar ..... 44
Grossman, Edgar F. Biology of the Mexican cotton boll weevil ..... 32-33
Grossman, Edgar F. Biology of the Mexican cotton boll weevil ..... 41-43
Hubbell, Theodore H. Two new species of Ceuthophilus from the southeastern United States with synonymical notes on other species of the genus. 1 pl. ..... 8-20
Knowlton, George F. A new juniper aphid from Utah with notes on a few other species. (Concl.) 3 figs. ..... 4-8
Knowlton, George F. Notes on a few Homoptera from Utah ..... 45-51
Moulton, Dudley. New Thysanoptera from Cuba ..... 61-65
Reed, M. M. Citrus insects of northeastern Argentina ..... 67-68
Rolfs, P. H. The Mediterranean fruit fly ..... 25-30
Tissot, A. N. A new dogwood aphid from Florida. 1 pl. ..... 1-4

VOLUME 14

Blatchley, W. S. The Scarabaeidae of Florida. (Cont.) ..... 13-17
Blatchley, W. S. The Scarabaeidae of Florida. (Concl.) ..... 25-35
Calhoun, Paul. Time of hatching first generation boll weevils relative to appearance of blossoms. Chart A ..... 72-75
Grossman, Edgar F. Biology of the Mexican cotton boll weevil—V. 1 fig. ..... 45-52
Grossman, Edgar F. Biology of the Mexican cotton boll weevil—VI 66-71
Knowlton, George F. Notes on Utah Coleoptera. (Cont.) ..... 36-37
Knowlton, George F. Notes on Utah Coleoptera. (Cont.) ..... 53-56
Knowlton, George F. Notes on Utah Coleoptera. (Cont.) ..... 75-77
Smith, M. R. A list of Florida ants ..... 1-6
Smith, M. R. Another imported ant ..... 23-24
Stoner, Dayton. Spined soldier-bug reared on celery leaf-tyer ..... 21-22
Tissot, A. N. and Thompson, W. L. New aphicides ..... 7-12
Tissot, A. N. A new food plant of the buckeye butterfly ..... 52
Watson, J. R. and Tissot, A. N. An outbreak of the corn Syrphus fly 24
Wilson, J. W. Cicadas severely damaging Asparagus plumosus ..... 41-44
Wilson, J. W. Tibicen davisi Smith and Gosbeck (Cicadidae) a new pest of economic importance ..... 61-65

VOLUME 15

Anon. Vegetable weevil in Florida ..... 12
Anon. The six-spotted mite ..... 15
Anon. Scarcity of the zebra butterfly ..... 50
Ball, E. D. Some new genera and species of leafhoppers related to Eutettix van Duzee (Rhynchota homoptera) ..... 1-6
Bratley, H. E. Euvanessa antiopa Linn., the mourning cloak ..... 7
Bratley, Homer E. The oleander caterpillar, Syntomeida epilaid Walker. 2 pls. ..... 57-64
Calhoun, P. W. A correlation of the date of emergence and percentage of survival of the cotton boll weevil with date of their installation in hibernation cages ..... 41-48
Grossman, Edgar F. Insect enemies of the cotton boll weevil ..... 8-10
Grossman, Edgar F. Winter survival of immature stages of the boll weevil ..... 13-14
Grossman, Edgar F. Biology of the Mexican cotton boll weevil—VII 21-27

Knowlton, Geo. F. Notes on Utah Coleoptera. (Concl.) ..... 10
Miller, Ellen Robertson. Athena peleus (Timetes petreus) ..... 34-36
Miller, Ellen Robertson. Pholus fasciatus ..... 49-50
Miller, Ralph L. A contribution to the life history and habits of the celery leaf tyer Phlyctaenia rubigalis Guenee in Florida ..... 28-34
Rogers, J. Speed. On the biology of Limonia (Dicranomyia) floridana (Osten-Sacken). 8 figs. ..... 65-70
Watson, J. R. A new Haplothrips from Panama ..... 11-12
Watson, J. R. Two new Thysanoptera from Colorado ..... 51-54
Watson, J. R. A rose chafer attacks citrus ..... 70
Watson, J. R. Insects of the winter, 1931-32 ..... 71-73

VOLUME 16

Matteson, J. Harold. Une lettre du v congres international d'entomologie, Paris, France. 16 au 23 Juillet 1932 ..... 40-45
Tissot, A. N. Six new aphids from Florida with description of the sexual forms of another species. 1 pl. ..... 1-13
Tissot, A. N. Three new aphids of the tribe Chaitophorini. 1 pl. ..... 17-24
Tissot, A. N. Blister-beetles abundant in Florida ..... 30
Tissot, A. N. The bean leafhopper situation ..... 45-46
Tissot, A. N. Five new species of Anuraphis and Aphis. 1 pl. ..... 49-60
Watson, J. R. and Thompson, W. L. Pin worm on tomatoes ..... 14
Watson, J. R. Further notes on the velvet bean caterpiller ..... 24
Watson, J. R. Some Thysanoptera of the Great Smoky Mountains..... 61-62
Wilmot, R. J. and Walker, Fred W. The relation of hydrocyanic acid gas concentration and temperature to the kill of the larvae in hibernacula of the pecan leaf case bearer, Mineola juglandis (LeB.) ..... 25-28
Wilmot, R. J. The effect of hydrocyanic acid gas fumigation on the subsequent growth of pecan nursery stock ..... 28-30
Wilson, J. W. Notes on the biology of Laphygma exigua Huebner ..... 33-39

VOLUME 17

Bates, Marston. Insect parasites of citrus in Central America ..... 29-32
Bates, Marston. Insect parasites of citrus in Central America ..... 45-47
Kea, J. W. Food habits of Tineola uterella ..... 66
Knowlton, Geo. F. Notes on Rocky Mountain Pipunculidae (Diptera) 34
Smith, M. R. Additional species of Florida ants, with remarks ..... 21-26
Tissot, A. N. Additions to the aphid fauna of Florida. 1 pl. ..... 37-45
Watson, J. R. An outbreak of Mocis repanda Fabr. ..... 15
Watson, J. R. Two new species of Plectrothrips. 4 figs. ..... 16-18
Watson, J. R. and Thompson, W. L. Food habits of Leis conformis Boisd. (Chinese ladybeetle) ..... 27-29
Watson, J. R. Two new species of Plectrothrips. (Concl.) ..... 33-34
Watson, J. R. Two new species of Oedaleothrips with notes on other species ..... 48-50
Watson, J. R. Two new species of Oedaleothrips with notes on other species. (Concl.) ..... 63-64
Wilson, J. W. The biology of parasites and predators of Laphygma exigua Huebner, reared during the season of 1932. 10 figs. ..... 15
Wisecup, C. B. and Miller, R. L. A study of insect populations on celery in the Sanford, Florida, district. 4 figs. ..... 53-62

VOLUME 18

Berger, E. W. Walnut caterpillars eaten by Bluejays? ..... 52
Bratley, H. E. Additional notes on the oleander caterpillar ..... 39
Crumb, S. E. and Chamberlin, F. S. The effect of cool temperatures on some stages of the cigarette beetle ..... 11-14
Fairchild, G. B. A new Tabanus (Diptera) from Florida ..... 53-54
Hill, S. B. Jr., Yothers, W. W. and Miller, R. L. Effect of arsenical and copper insecticides on the natural control of whiteflies and scale insects by fungi on orange trees in Florida ..... 1-4

Knowlton, Geo. F. A big-eyed bug predator of the potato Psyllid. 2 figs. ..... 40-43
Miller, Ellen Robertson. Athena peleus (Sulger) new; Argonut petreus (Sulger) old; Timetes petreus (Cramer) ..... 29-30
Thompson, W. L. Non-arsenical stomach poisons for grasshopper control ..... 5-10
Thompson, W. L. Notes on Neotermes castaneus Burm. 1 fig. ..... 33-39
Thompson, W. L. Food habits of Leptoglossus gonagra ..... 46
Tissot, A. N. Two new aphids of the tribe Macrosiphini. 1 pl. ..... 17-23
Tissot, A. N. A new Myzus from Florida. 1 pl. ..... 49-52
Watson, J. R. A pepper pest new to the United States ..... 23
Watson, J. R. Notes on Nezara viridula (L.) ..... 43
Watson, J. R. Thysanoptera of the geenton ..... 44-46
Watson, J. R. Effect of a freeze on some citrus insects ..... 54
Watson, J. R. Thysanoptera of the geenton. (Cont.) ..... 55-62
Watts, J. G. A new species and variety of Plesiothrips. 1 pl. 3 figs. 24-27

VOLUME 19

Byers, C. Francis. Records of Florida dragonflies—II ..... 40-42
Fairchild, G. B. A preliminary list of the Tabanidae (Diptera) of Florida. (Cont.) ..... 58-63
Fernald, H. T. An unusual type of butterfly migration ..... 55-57
Jacot, Arthur Paul. The large-winged mites of Florida. 17 figs. ..... 1-14
Jacot, Arthur Paul. The large-winged mites of Florida. (Cont.) 14 figs. ..... 17-31
Jacot, Arthur Paul. The large-winged mites of Florida. (Concl.) 43-47
King, W. V. and Lenert, Louva G. Outbreaks of Stomoxys calcitrans L. ("Dog Flies") along Florida's northwest coast. 3 figs. 33-39
Stoner, Dayton. Reptiles and amphibians in relation to celery insects in the Sanford, Florida, district. 1 fig. ..... 49-53

*Acanalonia bivittata* (Say), V, 16
*conica* (Say), V, 17
*latifrons* (Walk.), V, 17
*pumila* (Van D.), V, 17
*servillei* Spin., V, 17
*Acanthocerus aeneus* Mac L., XII, 46
*Acanthocheila kahavalu* Kirkaldy, V, 42
*Acanthothrips*, Uzel, II, 100
*magnafemoralis* Hinds, II, 73
*Achurum sumichrasti* (Saussure), IX, 43
*Acinopterus acuminatus* Van D., V, 12; XIII, 48
*Acmaeodera ornata* (Fab.), XIV, 54
*pulchella* (Hbst.), XIV, 54
*sparsa* Horn, XIV, 54
*variegata* Lec., XIV, 54
*Acmaeops longicornis* Lec., XIV, 75
*Acrydium brunneri* (Bolivar), IX, 42
*Acutalis inornata* Ball, V, 3
*tartarea* (Say), V, 3
*tartarea* var. *semicrema* (Say), V, 3
*Acysta brasiliensis* n. sp., V, 42
*persea* Heid., III, 46
*Adistemia watsoni* (Woll.), V, 68
*Aeolothripidae*, I, 65
*Aeolothrips bicolor* Hinds, I, 65; VI, 34
*floridensis* Watson, I, 65
*Aeolus comis* (Lec.), XIV, 53
*dorsalis* (Say), XIV, 53
*Agallia cinerea* Osb. & Ball, XIII, 46
*constricta* Van D., V, 5
*deleta* Van D., V, 5
*immaculata* Lath., V, 6
*lyrata* Baker, V, 6
*novella* (Say), V, 5
*oculata* Van D., V, 6
*4-punctata* Prov., V, 5
*sanguinolenta* Prov., V, 6; XIII, 46
*uhleri* Van D., XIII, 46
*variata* Uhl, V, 6
*Agrilus gibbicollis* Fall., XIV, 55
*niveiventris* Horn, XIV, 55
*politus* (Say), XIV, 55
*walsinghami* Cr., XIV, 55
*Alebra albostriella* var. *albostriella* Fallen, VIII, 33
*albostriella* var. *discicollis* Herrich & Schaffer, VIII, 33
*bicincta* DeLong, VIII, 33
*Aleurocanthus woglumi* Ashby, I, 6
*Aleurodothrips fasciapennis* Franklin, I, 67
*Allographa obliqua* Say, XI, 52

*Allothrips megacephalus* Hood, XVIII, 59
*nubillicauda* n. sp., XVIII, 60
*Alpha apache* (Rehn & Hebard), IX, 43
*Amalopota fitchii* Van D., V, 17
*Amphorophora crataegi* n. sp., XVII, 42
*Anaphothrips alternans* Bagnall, XIII, 61
*arizonensis* Morgan, XI, 43
*bicolor* n. sp., IX, 4; XI, 42
*cameroni* (Bagnall), XI, 43
*dicolor* Hood, XI, 42
*grandioculus* Watson, XI, 42
*longipennis*, XI, 42
*megaceps* H. & W., I, 76
*(Proscirtothrips) monotropae* n. sp., XI, 29, 42
*obscurus* (Mull.), XI, 42
*orchidaceous*, XI, 41
*(Proscirtothrips)* Karney, XI, 42
*(Proscirtothrips) tricolor* Moulton, XI, 42
*(Proscirtothrips) zeae* Moulton, XI, 42
*Anartia jatrophae* L., VII, 42
*Anastrategus cognatus* Csy., XIV, 25
*splendens* (Beauv.), XIV, 25
*Anastrepha ludens* Lowe, XVII, 45
*Anisostena ariadne* Newm., VIII, 43
*lecontei* Baly., VIII, 43
*nigrita* (Oliv.), VIII, 43
*Anomala exigua* (Sz.), XIII, 75
*innuba* (Fabr.), XIII, 75
*innuba piceola* Csy., XIII, 75
*ludoviciana* Schffr., XIII, 73
*minuta* Burm., XIII, 74
*minuta mendica* Csy., XIII, 74
*nigropicta* Csy., XIII, 74
*nigropicta floridana* Csy., XIII, 74
*parvula* Burm., XIII, 75
*servilis* Csy., XIII, 73
*undulata* Mels., III, 46; XIII, 74
*Anomoea*, VII, 49
*Anopheles mosquito*, I, 18
*crucians*, III, 23
*quadrimaculatus*, III, 19
*Anoplitis inaequalis* (Web.), V, 67; VIII, 43
*Anthaxia aeneogaster* Cast., XIV, 55
*Anthonomus grandis* Boh., XII, 33, 57; XIII, 32, 41; XIV, 45, 66, 72; XV, 8, 13, 21, 41
*signatus* Say, IV, 34
*Anthothrips* Uzel, II, 117
*dozieri* n. sp., I, 71
*flavipes* Jones, I, 72
*floridensis* Watson, I, 72
*niger* Osborn, I, 71; II, 117
*nigricornis* Jones, I, 72; II, 117
*variabilis* Crawford, I, 72
*verbasci* Osborn, I, 72
*Anthrenus scrophulariae* Lis., V, 67
*Antiathe expansa* Germ., V, 4
*Anticarsia gemmatilis*, XI, 10; XII, 39; XV, 72; XVI, 24
*Antipus laticlavia* (Forst.), VII, 49
*Anomalepta flaccida* Csy., XIII, 73
*semilivida* (Lec.), XIII, 73
*Anuraphis arundinariae* n. sp., XVI, 49
*iteae* n. sp., XVI, 52
*minima* n. sp., XVI, 54
*Apanteles marginiventris* Cress., XVII, 5
*Aphaenogaster (Attomyrma) fulva* subsp. *aquia* (Buckley), XIV, 4
*lamellidens* Mayr., XIV, 4
*mariae* Forel, XIV, 4
*texana* var. *furvescens* Wheeler, XIV, 4
*texana* var. *miamiana* Wheeler, XVII, 23
*texana* subsp. *nana* Wheeler, XVII, 23
*texana* var. *silvestri* Menozzi, XVII, 22
*treatae* var. *ashmeadi* Emery, XIV, 4
*Aphalara angustipennis* Crawf., XIII, 51
*artemisiae* For., XIII, 51
*minutissima* Crawf., XIII, 51
*rumicis* Mally, XIII, 51
*Aphelonema decorata* Van D., V, 16
*Aphis astericola* n. sp., XVI, 57
*avena* Fitch, V, 22
*bonnecillensis* Knowlton, XII, 62
*brassica*, V, 21, 22
*floridanae* n. sp., XVI, 59
*folsomii* Davis, V, 22
*gregalis* Knowl., XIII, 6
*gossypii* Glover, V, 21, 23, 24, 58, 63; XI, 1
*heterae* Kalt., V, 24
*maidis*, Fitch, V, 21, 25
*oregonensis* Wilson, XIII, 8
*pomi*, DeG., V, 25; XII, 49
*pseudobrassicae* Davis, V, 22
*setariae* Thos., V, 25
*spiraecola* Patch, XI, 1, 53; XII, 6, 49
*vernoniae* Thos., V, 25
*Aphodiinae*, XII, 13
*Arnodius* Illiger, XII, 13
*Aphodius aegrotus* Horn, XII, 24
*bicolor* Say, XII, 24
*campestris* Blatchley, XII, 23
*concavus* Say, XII, 23
*crassulus* Horn, XII, 14
*distinctus* (Mull.), XIV, 56
*granarius* (L.), XIV, 56
*hamatus* Say, XII, 14
*lentus* Horn, XII, 23
*lividus* (Oliv.), XII, 22
*lutulentus* Hald., XII, 23
*parcus* Horn, XII, 24

*rubeolus* Beauv., XII, 23
*ruricola* Melsh., XII, 22
*stercorosus* Melsh., XII, 23
*troglodytes* Hubbard, XII, 23
*vestiarius* Horn, XII, 22
*Aphonus castaneus* (Melsh.), XIV, 25
*variolosus* (Lec.), XIV, 17
*Aphrophora quadrinotata* Say, V, 5
*saratogensis* (Fitch), V, 5
*Aphthona insolita* (Melsh.), VIII, 42
*Apple curculio*, IV, 34
*Araeocerus fasciculatus* DeG., IV, 33
*Archasia galeata* (Fab.), V, 3
*Argopistes scyrtoides* Lec., VIII, 20
*Argyria argentana* Martyn., VI, 50
*auratella* Clemens, VI, 50
*consortalis* Dyar, VI, 50
*critica* Forbes, VI, 50
*lacteella* Fab., VI, 50; XI, 13
*nivalis* Drury, VI, 50; XI, 13
*Arphia sulphurea* (Fabricius), IX, 44
*Arytaina chelifera* Crawf., XIII, 51
*Aschersonia cubensis*, I, 25
*Asemum atrum* Esch., XIV, 56
*Aspidiotiphagus citrinus* Crawf., III, 48
*Ataenius abditus* (Hald.), XII, 25
*alternatus* (Melsh.), XII, 25
*cognatus* (Lec.), XII, 27
*cylindrus* Horn, XII, 25
*gracilis* (Melsh.), XII, 26
*imbricatus* (Melsh.), XII, 25
*insculptus* Horn, XII, 25
*ovatulus* Horn, XII, 26
*sosilitarius* Blatch., XII, 26
*stercorator* (Fabr.), XII, 26
*strigatus* (Say), XII, 26
*wenzeli* Horn, XII, 26
*Atarba pictocornis* Osten-Sacken, X, 49
*Athaes angustroriparius* Heidemann, IX, 39
*Athena peleus* Sulz, VII, 43; XV, 34; XVIII, 29
*Athysanus*, VI, 19, 20
*Atta* sp. (Formicidae), XVII, 47
*Atta (Trachymyrmex) septentrionalis* var. *seminole* Wheeler, XIV, 4
*Attalus humerales*, V, 67
*Aulacizes guttata* Uhl., V, 6
*irrorata* (Fab.), V, 6
*pollinosa* Fowl., V, 6
*Auleutes cruralis* Lec., IV, 35
*Aulobaris ibis* Lec., IV, 34
*Autographa brassicae* Riley, XVII, 61
*falcifera* Kirby, XVII, 61

*Baccha clavata* Fabr., XI, 51; XII, 41
*lugens* Loew., XI, 51; XII, 41
*Baeocera deflexa* Csy., V, 67
*Balaninus utensis* Csy., XV, 10
*Balclutha impicta* Van D., V, 14
*Baliosus rubra* (Web.), VIII, 44
*Baris australis* Blatch., V, 68
*splendens* Casey, IV, 34
*Barythrips sculpticauda* Hood & Williams, I, 74
*Bassareus brunnipes* (Oliv.), VII, 55
*croceipennis* Lec., VII, 55
*detritus* (Oliv.), VII, 55
*lituratus* (Fabr.), VII, 55
*lituratus lativittis* (Germ.), VII, 55
*lituratus recurvus* Say, VII, 55
*lituratus vittatus* Suffr., VII, 55
Bee Keeping, I, 49; II, 102
*Blepharida rhois* (Forst.), VIII, 7
*Bolboceras ferugineus* (Beauv.), XII, 29
*Bolbocerosoma farctum* (Fabr.), XII, 29
*Bombus fraternus*, VII, 25
*impatiens*, VII, 25
*pennsylvanicus*, VII, 25
*separatus*, VII, 25
*Bostaera nasuta* Ball, V, 18
*Bothriocera signorite* Van D., V, 15
*tinealis* Burm., V, 15
*undata* Fab., V, 15
*Brachymyrmex heeri* var. *obscurior* Forel, XVII, 25
*heeri* subsp. *depilis* Emery, XIV, 5
*Brachymeria robusta* (Crest.), XIII, 44
*Brachymesia gravida* (Calvert), XIX, 41
*Bregmatothrips gracilis* Hood & Williams, I, 70
*venustus* Hood & Williams, XIII, 61
*Bruchomorpha jocosa* Stal., V, 16
*pallidipes* Stal., V, 16
*suturalis* Melich., V, 16
*tristis* Stal., V, 16
*Buprestidae*, XIV, 54
*Buprestis aurulenta* L., XIV, 54
*fasciata* var. *langi* (Mann.), XIV, 55
*maculativentris* Say, XIV, 54
*Bythoscopinae*, V, 5
*Bythoscopus franciscanus* (Baker), XIII, 47
*grandis* (Ball), XIII, 47
*robustus* (Uhl.), XIII, 47

*Calaphis castaeoides* Baker, XVI, 7
*nanae* n. sp., XVI, 8
*Calendra granaria* (L.), XV, 10
*Callidium pseudotsuga* Fisher, XIV, 76
*Calligrapha cephalanthis* Sz., VIII, 3
*scalaris* Lec., VIII, 4
*similis* Rog., VIII, 3
*Callipterus robinae* Gill., XIII, 5
*Calpodes ethlius* Cramer, VI, 1
*Camponotus (Myrmoturba) abdominalis* subsp. *floridanus* (Buckley), XIV, 6

*caryae* (Fitch), XIV, 6
*(Myrmentoma) caryae discolor* var. *cnemidatus* Emery, XVII, 26
*caryae* subsp. *rasilis* Wheeler, XIV, 6
*caryae rasilis* var. *pavidus* Wheeler, XIV, 6
*castaneus* Latr., XIV, 6
*castaneus* subsp. *americanus* Mayr., XIV, 6
*herculeanus* subsp. *pennsylvanicus* DeG., XVII, 26
*(Colobopsis) impressus* Roger, XIV, 6
*(Tanaemyrmex) incensus* Wheeler, XVII, 26
*(Myrmoturba) maculatus* subsp. *tortuganus* Emery, XIV, 6
*(Myrmoturba) planatus* Roger, XIV, 6
*(Colobopsis) pylartes* Wheeler, XIV, 6
*socius* Roger, XIV, 6
*(Tanaemyrmex) socius* var. *osceola* Wheeler, XVII, 26
*Campylenchia latipes* (Say), V, 4; XIII, 46
*Canthon depressipennis* Lec., XI, 61
*laevis* (Drury), XI, 61
*laevis viridescens* Horn, XI, 61
*nigricornis* (Say), XI, 60
*perplexus* Lec., XI, 62
*probus* (Germ.), XI, 61
*punctaticollis* Schffr., XI, 61
*vigilans* Lec., XI, 61
*viridis* (Beauv.), XI, 61
*Cardiocondyla nuda* var. *minutior* Forel., XVII, 24
*emeryi* Forel., XIV, 4
*wroughtoni* var. *bimaculata* Wheeler, XVII, 24
*Cardiophorus tenebrosus* Lec., XIV, 54
*tumidicollis* Lec., XIV, 54
*Carneocephala* n. g., XI, 33
*floridana* Ball, XI, 39
*gillettei* Ball, XI, 39
*reticulata* Sign., XI, 39
*sagittifera* Uhl., XI, 40
*Carolinaia cyperi* Ainslie, VI, 9
*rhois* n. sp., XII, 1; XVII, 37
sp., V, 23
*Carthartus advena* (Waltl.), XIV, 55
*Catocala agrippina*, III, 10
*cara* var. *carissimas*, III, 11
*consor*, III, 10
*epione*, III, 10
*ilia* Cramer, III, 11
*muliercula* Guer., III, 11
*sappho*, III, 10
*similis* var. *aholah*, III, 11
*ultronia*, III, 11
*ultronia* var. *celia*, III, 11
*Catolaccus aenoviridis* (Gir.), XVII, 7
*Catonia bicinctura* Van D., V, 15
*picta* Van D., V, 15
*Caulophilus latinasus*, III, 46
*Cenchrea fulva* Van D., V, 17
*Centrinus albotectus* Casey, IV, 34
*modestus* Boh., IV, 34
*perscillus* Gyll. & Schon., IV, 34
*Centruchoides perdita* A. & S., V, 4
*Cephalothrips* Uzel, II, 100; IV, 21
*elongata* n. sp., III, 3; IV, 21
*errans* Moulton, IX, 54
*merrilli* n. sp., IX, 53, 54
*monilicornis* Reuter, IX, 54
*yucca* Hinds, I, 73
*Cerambycidae*, XIV, 56
*Ceratomegilla fuscilabris*, XI, 8
*Ceratona caminea* (Fab.), V, 67
*Ceresa albidosparsa* Stal., XIII, 45
*basalis* Walker, XIII, 45
*brevistylus* Van D., V, 3
*bubalus* (Fabr.), XIII, 45
*patruelis* Stal., V, 3
*stimulea* Van D., V, 3
*Cercopidae*, V, 5
*Cercyothrips* n. gen., Morgan, IX, 1; X, 10
*striatus* n. sp., IX, 1
*Ceroplastes floridensis* Comst., III, 47; XVII, 32
*Cerotoma trifurcata* (Forst.), VIII, 7
*Ceuthophilus brevipes* Scudder, XIII, 20
*crassifemoris* n. sp., XIII, 10
*davisi* Blatchley, XIII, 18
*lapidicola* Burm., XIII, 19
*rehebi* Blatchley, XIII, 18
*spinosus* Rehn & Hebard, XIII, 18
*walkeri* n. sp., XIII, 14
*Chaetocnema clutacea*, Cr., VIII, 23
*brunnescens* Horn, VIII, 23
*confinis* Cr., VIII, 39
*crenulata* Cr., VIII, 39
*denticulata* (Ill.), VIII, 23
*floridana* Blatch., VIII, 23
*minuta* Melsh., VIII, 23
*obesula* Lec., VIII, 23
*parcepunctata* Cr., VIII, 23
*pinguis* Lec., VIII, 23
*pulicaria* Melsh., VIII, 23
*quadricollis* Sz., VIII, 39
*robusta* Blatch., VIII, 23
*Chaitophorus longipes* n. sp., XVI, 17
*Chalcodermus aeneus*, Boh., I, 42
*callaris* Horn, IV, 35
*Chalcolepidius webbi* Lec., XIV, 53
*Chalcophora angulicollis* (Lec.), XIV, 54
*Chalepus bicolor* (Oliv.), VIII, 43
*notatus* (Oliv.), VIII, 43
*scapularis* (Oliv.), VIII, 43

*Chelonus texanus* Cress., XVII, 4
*Chelymorpha cassidea* (Fabr.), VIII, 45; XIV, 77
*geniculata* Boh., VIII, 45
*Chilo plejadellus* Zincken, VI, 50
*Chilocorus bivulneratus* Muls., XI, 8, 51
*Chirida extensa* (Boh.), VIII, 46
*guttata* (Oliv.), VIII, 46
*Chirothrips crassus* Hinds, I, 67; IV, 23; IX, 60
*floridensis* n. sp., IV, 21, 22; IX, 59
*floridensis catchingsi* Watson, VIII, 52; IX, 59
*insolitus* Hood, IV, 22; VI, 34; IX, 59
*manicatus* Haliday, I, 67; IV, 22; IX, 59
*mexicanus* Crawf., IV, 22; IX, 59
*obesus* Hinds, IV, 22; IX, 60
*obesus* var. *hubbelli* n. var., IX, 58, 60
*spiniceps* Hood, IV, 22; IX, 59
*vestis* Hood, IV, 23; IX, 60
*Chlamys foveolata* Koch., VII, 50
*gibbosa* (Fabr.), VII, 50
*tubercalata* Klug., VII, 50
*Chloealtis abdominalis* (Thomas), IX, 43
*Chlorotettix galbanata* Van D., V, 13
*minima* Baker, V, 13
*necopina* Van D., V, 13
*rugicollis* Ball, V, 13
*spatulata* Osb., V, 13
*tergatus* (Fitch), V, 13
*tunicata* Ball, V, 13
*viridius* Van D., V, 13
*Choeridium histeroides* (Web.), XII, 9
*lecontei* Harold, XII, 9
*Chromaphis juglandicola* (Kalt.), XIII, 4
*Chrysobothris femorata* (Oliv.), XIV, 55
*mali* Horn, XIV, 55
*Chrysochus cobaltinus* Lec., XIV, 76
*Chrysomela subopaca* Rog., VIII, 4
*Chrysomelidae*, VII, 33; XIV, 76
*Chrysomphalus aonidum* L., I, 34; XVIII, 54
*dictyospermi* Morgan, III, 45
*Chrysopa lateralis* Guer., III, 47
*Chrysops bistellata* Daecke, XIX, 58
*brimleyi* Hine, XIX, 58
*callida*, O. S., XIX, 58
*celer* var. *nigroptera* var. nov., XIX, 59
*divisa* Walk., XIX, 59
*dorsovittata* Hine, XIX, 59
*flavida* Wied., XIX, 59
*fuliginosa* Wied., XIX, 59
*fulvistigma* var. *dorsopuncta* var. nov., XIX, 59
*geminata* Wied., XIX, 59
*hinei* Daecke, XIX, 59
*lugens* Wied., XIX, 60
*montana* O. S., XIX, 60
*obsoleta* Wied., XIX, 60
*parvula* Daecke, XIX, 60
*pikei* Whit., XIX, 60
*pudica* O. S., XIX, 60
*reicherti* sp. nov., XIX, 60
*ultima* Whit., XIX, 61
*univittata* Macq., XIX, 61
*vittata* Wied., XIX, 61
*vittata* var. *boridana* Johns., XIX, 61
*Cicadellidae*, V, 5, 6
*Cicadella circellata* (Baker), XIII, 47
*hieroglyphica* (Say), XIII, 47
*occatoria* (Say), V, 6
*Cicadidae*, V, 2
*Cicadula 6-notata* Fall, V, 14; XIII, 49
*Cicindela imperfecta* Lec., XIV, 36
*pusilla* Say, XIV, 36
*rectilatera* Chd., V, 67
*Cimex lectularius* L., XII, 44
*Cinara carolina* n. sp., XVI, 1
*longispinosa* n. sp., XVI, 4
*taedae* n. sp., XVI, 5
Citrus whitefly, I, 6, 32
*Cixius cultus* Ball, XIII, 50
*dorsivittatus* Van D., V, 15
*Clastoptera delicata* Uhl., XIII, 45
*lineatocollis* Stal., XIII, 45
*obtusa* (Say), V, 5
*osborni* Gill. & Baker, XIII, 45
*proteus* var. *saint-cyri* Prov., V, 5
*proteus* var. *vittata* Ball, V, 5
*xanthocephala* Germ., V, 5
*xanthocephala* var. *glauca* Van D., V, 5
Cleridae, XIV, 36
*Cloeotus aphodiides* (Ill.), XII, 45
*globosus* (Say), XII, 45
Cloudy winged whitefly, I, 32
*Coccinella oculata* Fabr., XI, 50
Coconut mealybug, III, 45
Coffee-bean weevil, IV, 33
*Colaspis* Fabr., VII, 55
*brunnea* (Fabr.), VII, 56
*brunnea costipennis* Cr., VII, 56
*brunnea flavida* Say, VII, 56
*favosa* Say, VII, 56
Coleoptera, VII, 33
*Coleopterodes liliputianum* Signoret, V, 50
*Collops reflexus* Lec., XIV, 36
*Conotrachelus cornatus* Lec., IV, 35
*Copicerus irroratus* Schwartz, V, 17
*Copris gopheri* Hubbard, XII, 10
*inemarginatus* Blatchley, XII, 10
*minutus* (Drury), XII, 10
*tullius* Oliv., XII, 10
*Coptocycla repudiata* Suffr., VIII, 46
*Corythaica smithi* n. sp., IV, 50

*Corythucha arcuata* var. *mali* Gibson, IV, 54
*associata* Osborn & Drake, IV, 54; IX, 36
*baccharidis*, n. sp., V, 37
*celtidis* Osborn & Drake, IX, 37
*celtidis mississippiensis* n. var., IX, 36
*contracta* Osborn & Drake, IV, 51
*mcelfreshi* n. sp., IV, 50
*mollicula* Osborn & Drake, IV, 53
*morrilli* Osborn & Drake, IV, 51
*nicholi* n. sp., XII, 3
*pallida* Osborn & Drake, IX, 36
*salicata* Gibson, IV, 53
*seguyi* n. sp., IV, 51
*Coscinoptera dominicana* (Fabr.), VII, 49
*Cotalpa lanigera* (Linn.), XIII, 77
*Cotinis nitida* (Linn.), XIV, 29
Cotton stainer, III, 46
Cottony cushion scale, I, 6
Cowpea curculio, I, 42
Cowpea pod-weevil, I, 42
Crambinae, VI, 49
Crambinae bibliography, VI, 54
*Crambus caliginosellus* Clemens, VI, 51
*decorellus* Zincken, VI, 51; XI, 13
*elegans*, VI, 51
*haytiellus* Zincken, VI, 51
*multilinellus* Fernald VI, 51
*mutabilis* Clemens, VI, 51, XI, 13
*praefectellus* Zincken, VI, 51
*quinqueareatus* Zeller, VI, 51; XI, 13
*satrapellus* Zincken, VI, 52; XI, 13
*teterrellus* Zincken, XI, 13
*tripsacus* Dyar, VI, 52; XI, 13
*trisectus* Walker, VI, 52
*zeelus* Fernald, VI, 52
*Cremastochilus harrisi* Kirby, XIV, 31
*squamulosus* Lec., XIV, 32
*Crematogaster (Acrocoelia) ashmeadi* var. *matura*, XVII, 25
*ashmeadi*, XIV, 4
*atkinsoni*, XIV, 4
*atkinsoni* var. *helveola* Wheeler, XVII, 25
*laevinscula* Mayr., XIV, 4
*lineolata* Say, XIV, 4
*lineolata* subsp. *pilosa* Emery, XVII, 25
*minutissima* Mayr., XIV, 4
*opaca depilis* var. *punctulata* Emery, XIV, 4
*Crepidodera atriventris* Melsh., VIII, 22
*helxines* Linn, VIII, 21
*Cricephalus asperatus* Lec., XIV, 56
*productus* Lec., XIV, 56
*Crossilius discoideus* (Say), XIV, 76
*pulchellus* Lec., XIV, 76
*Cryptocephalus albicans* Hald., VII, 54
*aulicus* Hald., VII, 54
*badius* Suffr., VII, 54
*binominis* Newn., VII, 53
*bivius* Newn., VII, 53
*calidus* Suffr., VII, 54
*confluens* Say, VII, 53
*defectus* Lec., VII, 53
*guttulatus* Oliv., VII, 53
*incertus* Oliv., VII, 54
*lateritius* Newn., VII, 54
*luteolus* Newn., VII, 54
*nanus* Fabr., VII, 54
*notatus fulvipennis* Hald., VII, 53
*notatus quadrimaculatus* Say, VII, 53
*obsoletus* Germ., VII, 53
*pumilus* Hald., VII, 54
*schreibersi* Suffr., VII, 54
*tinctus* Lec., VII, 54
*trivittatus* Oliv., VII, 54
*venustus* Fabr., VII, 53
*venustus ornatulus* Clav., VII, 53
*Cryptocerus varians* F. Smith, XIV 4
*Cryptognatha (Delphastus) pallida* Lec., III, 48
*Cryptorhynchus cubae* Boh., XVIII, 23
*Cryptorhopalum picricorne* Lec., V, 67
Cryptothripinae, VI, 6
*Cryptothrips* Uzel, II, 101
*aspersus* Hinds, I, 74
*carbonarius*, I, 74
*citri* n. sp., I, 73, 74
*floridensis* Watson, I, 73, 74; III, 25
*junctus* Hood, I, 74
*laureli* Mason, VI, 22
*pini* Watson, I, 73; IV, 39
*rectangularis* Hood, I, 74
*salicis* Jones, I, 74
*Ctenothrips frosti* Moulton, XVI, 61
Cucujidae, XIV, 55
*Cucujus clavipes* Fab., XIV, 55
Cucumber beetle, I, 41
*Culex quinquefasciatus* Say, III, 19
Curculionidae, XV, 10
*Cyarda melichari* Van D., V, 17
*Cylas formicarius*, I, 13
*Cycloneda sanguinea immaculata* (Fabr.), XI, 1, 49; XII, 41
*Cyphomyrmex rimosus* subsp. *minutus* Mayr., XIV, 4
*Cyphon* obscurus, V, 67
*Cyrpoptus belfragei* Stal., V, 14
*reineckii* Van D., V, 14
*Cyrtolobus arcuatus* (Emm.), V, 4
*fenestratus* (Fitch), V, 4
*inermis* (Emm.), V, 4
*nitidus* Van D., V, 4
*ovatus* Van D., V, 4
*sculptus* Fairm., V, 4

*tuberosus* (Fairm.), V, 4
*tumidus* (Walk.), V, 4
*vau* (Say), V, 4

*Danepteryx manca* (Uhler), XIII, 50
*Datana integerrima*, XVIII, 52
*Deloyla clavata* (Fabr.), VIII, 46
*Delphastus catalinae*, II, 88
*pallida*, III, 48
*Deltocephalus balli* Van D., V, 11
*caperatus* Ball, V, 11
*compactus* Osb. & Ball, V, 10
*flavicosta* Stal., V, 11
*raternus* Ball, V, 10
*fusconotatus* n. sp., VI, 17
*inflatus* Osb. & Ball, V, 10
*limicolus* n. sp., VI, 17
*littoralis* Ball, V, 11
*marinus* Osb. & Metcalf, V, 11
*mendosus* Ball, V, 11
*micarius* Ball, V, 10
*misellus* Ball, V, 10
*obtectus* Osb. & Ball, V, 10
*reflexus* Osb. & Ball, V, 10
*satur* Ball, V, 11
*slossoni* Ball, V, 10
*sonorus* Ball, V, 11
*striatus* (L.), XIII, 47
*visendus* Crumb., V, 10
*weedi* Van D., V, 10
*Deltochilum gibbosum* (Fabr.), XI, 62
*Dendroctonus valens* Lec., XV, 10
*Derelomus basalis* Lec., IV, 34
*Dermestes compactus* Csy., XIV, 55
Dermestidae, XIV, 55
*Diabrotica 12-punctata* (Fabr.), VIII, 6
*12-punctata* var. *tennella* Lec., XIV, 76
*vincta* Lec., VIII, 6
*vittata* (Fab.), I, 41; VIII, 6
*Diachlorus ferrugatus* Fab., XIX, 61
*Diachus auratus* Fabr., VII, 54
*squalens* Suffr., VII, 54
*Diaethria clymena* Cramer, VII, 43
*Dialeurodes citri* R. & H., I, 10, 32
*citrifolii* Morgan, I, 32
*Diatraea differentialis* Fernald, VI, 52; XI, 13
*saccharalis crambidoides* Grote, VI, 52
*saccharalis saccharalis* Fab., VI, 52
*zeacolella* Dyar, VI, 52
*Dicaiethrips brevicornis* (Bagnall), VII, 61
*Dicera tenebrica* (Kby.), XIV, 54
*Diceratothrips wolcotti* n. sp., IX, 8
*Dichaetothrips* Hood, II, 101
*Dichelonyx elongata* (Fabr.), XIII, 71
*Dicladocera sexfasciata* Stone, XIX, 61
*Dicranomyia iowensis* n. sp., IX, 50
*Dictyophara lingula* Van D., V, 14
*microrhina* Walk., V, 14
*Dictyophorus reticulatus*, I, 40
Dictyospermum scale, III, 45
*Dictyothrips floridensis* Watson, III, 2; VI, 21
*Dictymolomia julianalis* Walker, VI, 53
*Dicymolomia pegasalis* Walker, VI, 53; XI, 13
*Didymops floridensis* Davis, XIX, 40
*Dikraneura carneola* (Stal.), XIII, 49
*Diphaulaca bicolorata* Horn, VIII, 21
*Diplotaxis bidentata* Lec., XIII, 37
*excavata* Lec., XIII, 36
*frontalis* Lec., XIII, 36
*harperi* Blanch., XIII, 37
*languida* Lec., XIII, 37
*rufa* Linell, XIII, 36
*subcostata* Blanch., XIII, 36
*Disonycha abbreviata* Melsh., VIII, 19
*albida* Blatchley, VIII, 19
*caroliniana* (Fabr.), VIII, 19
*collata* (Fabr.), VIII, 19
*fumata* Lec., VIII, 19
*glabrata* (Fabr.), VIII, 19
*leptolineata* Blatchley, VIII, 19
*mellicollis* (Say), VIII, 19
*pennsylvanica* (Ill.), VIII, 18
*pennsylvanica conjugata* (Fabr.), VIII, 18
*pennsylvanica parva* Blatchley, VIII, 18
*quinquevittata* (Say), VIII, 19; XIV, 76
*triangularis* (Say), VIII, 19
*xanthomelaena* (Dalm.), VIII, 19
*Dolichoderinae*, XIV, 5
*Dolichoderus plagiatus* subsp. *pustulatus* Mayr., XIV, 5
*plagiatus* subsp. *pustulatus* var. XIV, 5
*(Hypoclinea) plagiatus pustulatus* var. *beutenmuelleri* Wheeler, XVII, 25
*Dolichothrips* n. gen., IV, 21
*Donacia cincticornis* Newn., VII, 38
*floridae* Leng, VII, 38
*hypoleuca* Lac., VII, 38
*metallica* Ahr., VII, 38
*piscatrix* Lac., VII, 38
*pusilla* Say, XIV, 76
*rugosa* Lec., VII, 38
*texana* Crotch., VII, 38
*torosa* Lec., VII, 38
*Dorydiella floridana* Baker, V, 9
*Dorycephalus vanduzei* Osb. & Ball, V, 9
Dorylinae, XIV, 2

*Dorymyrmex pyramicus* Roger, XIV, 5
*pyramicus* var. *flavus* McCook, XIV, 5
*Draeculacephala acuta* Walk., V, 7
*angulifera* Walker, XI, 34
*balli* Van D., V, 7; XI, 35, 38
*bradeyi* Van D., XI, 34, 38
*crassicornis* Van D., XI, 35, 39
*floridana* Ball, V, 7
*inscripta* Van D., V, 7; XI, 34, 37
*lenticula* n. sp., XI, 34, 38
*manitobiana* Ball, XI, 35
*minerva* n. sp., XI, 34, 36
*mollipes* Say, V, 7; XI, 34
*mollipes minor* Walk., V, 7
*novaeboracensis* Fh., XI, 35
*pagoda* n. sp., XI, 34, 37
*portola* n. sp., XI, 34, 35
*producta* Walker, XI, 34
*7-guttata* Walker, V, 8; XI, 35
*reticulata* Sign., V, 7
*Dromogomphus armatus* Selys, XIX, 40
*spinosus* Selys, XIX, 40
*Durocapillata utahensis* Know., XIII, 7
Dynastinae, XIV, 13
*Dynastes tityus* Linn., XIV, 27
*Dyscinetus trachypygus* (Burm.), XIV, 15
*Dysdercus suturellus* (H. S.), II, 88; III, 46

*Eantis pallida* Felder, XVII, 45
*Echinothrips americana* Morgan, I, 67
*Eciton (Acamatus) carolinesis* Emery, XVII, 22
*(Acamatus) opacithorax* Emery, XIV, 2
*(Acamatus) schmitti* Emery, XIV, 2
*Ecpantheria icasia* Cramer, XVII, 45
*Elaphidion inerme* Newn., III, 47
*Elaphrothrips longiceps* (Bagnall), VII, 62
*Elater phoenicopterus* Germ., XIV, 54
*Elateridae*, XIV, 53
*Ellidiptera floridae* Walker, V, 15
*pallida* Say, V, 15
*Empoa fabae* (Harris), XIII, 50
*rosae* (L.), XIII, 49
*Empoasca albolinea* Gillette, VIII, 34
*aspersa* Gill. & Baker, XIII, 49
*fabae* (Harris), XVI, 45
*flavescens* Fab., V, 14; XIII, 49
*mali* Le B., I, 41; V, 14; XIII, 49
*minuenda* Ball, III, 46; V, 14
*tessellata* Gillette, XIII, 49
*trifasciata* Gillette, VIII, 34
*unicolor* Gillette, V, 14
*viridiscens* Walsh, V, 14
*Enchenopa binotata* Say, V, 4
*Enoclerus nigripes* Say, V, 67
*Entylia concisa* Walker, V, 4
*sinuata* (Fab.), V, 4
*Eoreuma densellus* Zeller, VI, 53; XI, 13
*Spicaerus formidulosus* Boh., IV, 33
*Epicauta ferruginia* (Say), XIV, 37
*heterodera* Horn, XVI, 30
*maculata* (Say), XIV, 37
*oregona* Horn, XIV, 53
*puncticollis* (Mann.), XIV, 37
*sericans* Lec., XIV, 37
*vittata* Fabr., XIV, 53; XVI, 30
*Epitrix brevis* Sz., VIII, 22
*cucumeris* Harr., VIII, 22
*fasciata* Blatchley, VIII, 22
*lobata* Cr., VIII, 22
*parvula* (Fabr.), VIII, 22
*subcrinita* Lec., XIV, 77
*Eriophyes oleivorus* Ashm., I, 35
*Eros aurora* Hbst., V, 67
*Erythroneura abolla divisa* n. var., VIII, 37
*aclys* McAtee, VIII, 37
*basilaris* var. *affinis* Fitch, VIII, 37
*basilaris* var. *basilaris* Say, VIII, 37
*comes* Say, V, 14; XIII, 50
*comes* var. *accepta* McAtee, VIII, 38
*comes* var. *bidens* n. var., VIII, 39
*comes* var. *comes* Say, VIII, 38
*comes* var. *compta* McAtee, VIII, 38
*comes* var. *delicata* McAtee, VIII, 38
*comes* var. *elegans* McAtee, VIII, 38
*comes* var. *rubra* Gillette, VIII, 38
*comes* var. *rubrella* McAtee, VIII, 38
*comes* var. *suffusa* n. var., VIII, 39
*comes* var. *vitifex* Fitch, VIII, 38
*comes* var. *ziczac* Walsh., VIII, 39
*erosa* n. sp., VIII, 36
*hubbardi* n. sp., VIII, 35
*ligata* var. *ligata* McAtee, VIII, 38
*maculata* var. *bella* McAtee, VIII, 37
*maculata* var. *bigemina* McAtee, VIII, 37
*maculata* var. *confirmata* n. var., VIII, 37
*maculata* var. *gemina* McAtee, VIII, 37
*maculata* var. *maculata* Gillette, VIII, 37
*maculata* var. *osborni*, DeLong, VIII, 37
*maculata* var. *parallela* n. var., VIII, 38
*morgani* DeLong, VIII, 37

*obliqua* var. *electa* McAtee, VIII, 36
*obliqua* var. *eluta* McAtee, VIII, 36
*obliqua* var. *obliqua* Say, VIII, 36
*tecta* var. *carbonata* McAtee, VIII, 37
*tecta* var. *tecta* McAtee, VIII, 37
*tricincta* var. *calycula* McAtee, VIII, 38
*tricincta* var. *integra* McAtee, VIII, 38
*tricincta* var. *tricincta* Fitch, VIII, 38
*vitis* var. *bistrata* McAtee, VIII, 38
*vitis* var. *stricta* McAtee, VIII, 38
*vitis* var. *vitis* Harris, VIII, 38
*vulnerata* var. *niger* Gillette, VIII, 35
*vulnerata* var. *vulnerata* Fitch, VIII, 35
*Essigella fusca* Gill. & Palmer, XIII, 7
*Eucanthus lazarus* (Fabr.), XII, 30
*Eucelatoria rubentris* Coq., XVII, 13
*Euceraphis flava* Dav., XIII, 4
*Eudamus proteus* L., VI, 1
*Eudiogogus rosenschoeldi* Fabr., IV, 34
*Eugnathodus abdominalis* Van D., V, 14; XIII, 49
*Eugrotea dentella* Fernald, VI, 53; XI, 13
*incertella* Zincken, VI, 53
*Euparia castanea* Serville, XII, 24
*Euphalerus nidifex* Schwarz, XIII, 51
*Euphoria inda* Linn., XIV, 30
*limbalis* Fall., XIV, 29
*nitens* Csy., XIV, 30
*scolopacea* Csy., XIV, 30
*sepulcharalis* (Fabr.), XIV, 30
*Euplectrus insuetus* Graham, VI, 14
*platyhypenae* How., XVII, 7
*Euponera (Trachymesopus) stigma* (Fab.), XIV, 2
*Eupteryx artemisiae* Kirchbaum, VIII, 35
*flavoscuta* var. *flavoscuta* Gillette, VIII, 35
*flavoscuta* var. *juvenis* McAtee, VIII, 35
*flavoscuta* var. *nigra* Osborn, VIII, 35
*Eurypepla jamaicensis* (L.), VIII, 45
*Eurythrips ampliventris* Hinds, IV, 37
*cornutus* n. sp., XIII, 63
*fuscipennis* Moulton, XIII, 65
*hindsi* Morgan, IV, 38
*longilabris* n. sp., IV, 36, 38
*osborni* Hinds, IV, 38; VIII, 50
*varius* n. sp., XIII, 64
*Euscelis (Athysanus) drakei* n. sp., VI, 19
*fumidus* n. sp., VI, 19
*magnus* var. *piceus* n. var., VI, 20
*bicolor* (Van D.), V, 11
*exitiosus* (Uhl.), V, 11; XIII, 47
*obscurinervis* (Stal.), XIII, 48
*obtutus* (Van D.), V, 11
*striolus* (Fallen), XIII, 48
*Eutettix bartschi* Van D., V, 11
*cincta* Osborn & Ball, V, 12
*glennana* n. sp., XV, 2
*goniana* n. sp., XV, 1
*lurida* Van D., V, 11
*marmoratus* Van D., V, 11
*nitens* Van D., V, 11
*picta* Van D., V, 11
*seminuda* (Say), V, 12
*slossoni* Van D., V, 11
*tenellus* (Baker), XIII, 48
*tristis* Ball, V, 12
*Euthrips fuscus* (Hinds), I, 67
*grandioculus* n. sp., IV, 36
*Euvanessa antropa* Linn., XV, 7
*Exema conspersa* (Mann.), VII, 50
*gibber* (Oliv.), VII, 50
*neglecta* Blatchley, VII, 50
*Exochomus marginipennis childreni* Muls., XI, 7

Fall Army worm, I, 10, 41
*Ficiomyia* n. gen., VI, 5
*perarticulata* n. sp., VI, 5
*Fidia longipes* (Melsh.), VII, 57
*viticida* Walsh., VII, 57
*Fiorinia fioriniae* Targ., III, 47
*Fitchiella robertsoni* (Fitch), V, 16
*Flatoides punctatus* (Walk.), V, 17
*Floricomus* n. gen., IX, 33
*floricomus* n. sp., IX, 33
*pythonicus* n. sp., IX, 35
Florida flower thrips, I, 69
Florida wax scale, III, 47
*Forda olivacea* Rohrwer, XIII, 6
*Formica (Neoformica) pallide-fulva* Latr., XVII, 26
*pallide fulva schaufussi* Mayr. var., XIV, 6
Formicinae, XIV, 5
*Frankliniella* Karny, III, 71
*annulipes* Hood, III, 7
*auripes* Hood, III, 7
*bispinosus* (Morgan), I, 69; III, 5
*bispinosus projectus* Watson, I, 69
*cephalica* (Crawford), III, 5
*cephalica bruneri* n. var., IX, 54
*cephalica masoni* n. var., III, 4, 5, 46
*cephalica reticulata* (Crawford), III, 5
*citripes* Hood, III, 7
*floridana* n. sp., I, 68
*floridensis* (Morgan), III, 6

*fusca* (Hinds), I, 67; VI, 35
*fuscus* Hinds, III, 5
*gossypii* (Morgan), III, 6
*helianthi* (Moulton), III, 6
*insularis* (Franklin), II, 119, 120; III, 7; XVII, 31
*minuta* (Moulton), III, 5; VI, 35
*nervosa* (Uzel), III, 7
*occidentalis* (Pergande), I, 69
*runneri* (Morgan), III, 6
*stylosa* Hood, I, 69; III, 6; XVI, 61
*tenuicornis* Uzel, VI, 35
*tritici* (Fitch), II, 102; III, 6; VI, 35; XVI, 61
*tritici bispinosa* (Morgan), XI, 28
*tritici moultoni* (Hood), III, 6
*tritici occidentalis* (Pergande), III, 6
*tympanona* Hood, III, 5
*williamsii* Hood, III, 6; XVI, 61
*Franklinothrips vespiformis* (Crawford), I, 66; III, 47; VII, 61
Fulgoridae, V, 14

*Galeatus schwarzi* n. sp., V, 39
*Galerucella americana* (Fabr.), VIII, 5
*bivittata* Blatchley, VIII, 5
*integra* (Lec.), VIII, 5
*notata* (Fabr.), VIII, 5
*notulata* (Fabr.), VIII, 5
*nymphaeae* (Linn.), VIII, 5
*sexvittata* (Lec.), VIII, 5
*Galumna alatum hispidum* n. subsp., XIX, 27
*curvum*, XIX, 28
*flagelliferum*, XIX, 28
*flagelliferum circulum*, XIX, 29
*lanceatum octopunctatum*, XIX, 27
*Ganascus ventricosus* Lec., V, 67
*Gargaphia amorphae* Walsh., IX, 37
*binotata* Parshley, IX, 37
*condensa* Gibson, V, 41
*mexicana* n. sp., V, 40
*munda* Stal., V, 41
*tiliae* Walsh., V, 41
*Gastrothrips anolis* n. sp., IX, 7
*fuscicauda* n. sp., IX, 6
*pallidus* n. sp., VIII, 50
*Gelechia gossypiella*, I, 24
*Geocoris decoratus* Uhl., XVIII, 40
*Geotrupes blackburni* (Fabr.), XII, 44
*chalybeus* Lec., XII, 44
*egeriei* Germ., XII, 44
*lethroides* West, XII, 45
*semiopacus* Jekel, XII, 45
*splendidus* (Fabr.), XII, 45
*Geranomyia canadensis* (Westw.), XI, 21
*rostrata* (Say), XI, 17, 22
*Glyptina bicolor* Horn, VIII, 41
*brunnea* Horn, VIII, 41
*cerina* Lec., VIII, 41
*cyanipennis* Cr., VIII, 41
*spuria* Lec., VIII, 41
*Glyptothrips barythripoides* n. sp., XVIII, 55
*batesi* n. sp., XVIII, 56
*eddeyi* n. sp., XVIII, 57
*flavescens* Hood, XVIII, 59
*reticulatus* n. sp., XVIII, 45
*Gnathium francilloni* Kirby, V, 67
*Gnophothrips* Hood and Williams, II, 100
*Gnorimella maculosa* (Knoch), XIV, 32
*Gnorimoschema lycopersicella* Busck, XVI, 14
*Gonia crassicornis* Reink., XVII, 13
*Goniatron planum* Bruner, IX, 43
*Gonomyia (Leiponeura) pleuralis* (Will.), X, 33
*Gracilaria* sp. near *niolacella* Clem., III, 46
Grain thrips, II, 102
*Graphocephala coccinea* (Forst.), V, 7
*versuta* (Say), V, 7
*Graphops curtipennis* (Melsh.), VII, 57
*marcassitus* Cr., VII, 57
*varians* Lec., VII, 57
Green fly, I, 41
Greenhouse thrips, I, 6, 66; III, 45; VI, 23
*Griburius larvatus* (Newn.), VII, 50
*montezuma* (Suffr.), XIV, 76
*Gymnaspis aechmeae* Newst., VI, 15
*Gynaikothrips*, II, 101
*useli* Zimmerman, I, 76
*Gypona albosignata* Uhl., V, 8
*8-lineata* (Say), V, 8
*irrorella* Spangb., V, 8
*melanota* Spangb., XIII, 47
*miliaris* Stal., V, 9
*resima* Fowl., V, 9
*rugosa* Spangb., V, 8
*sanguinolenta* Spangb., V, 8
*scarlatina* Fitch, V, 9
*scarlatina* var. *citrina* Spangb., V, 8
*striata* Brum., V, 8
*tenella* Spangb., V, 8
*Gyrohypnus gularis* (Lec.), XIV, 36

*Haematopota punctulata* Macq., XIX, 61
*Haematosiphon inodorus* (Duger), XII, 43
*Haltica amoena* Horn, V, 67
*burgessi* Cr., VIII, 21
*chalybea* Ill., VIII, 20
*floridana* Horn, VIII, 21
*litigata* Fall., VIII, 20
*marevagans* Horn, VIII, 20
*nana* Cr., VIII, 20
*rufa* Ill., VIII, 21

*schwarzi* Blatchley, VIII, 20
*vaccinia* Blatchley, VIII, 20
*vicaria* Horn, VIII, 20
*Halticidea modesta* Horn, VIII, 5
*Hamletia dimidiaticornis* Cr., VIII, 7
*Haplothrips* (Seville), II, 107, 117
*abyssinanae* n. sp., X, 28
*angustipennis* n. sp., VI, 35, 38; VIII, 51
(?) *bellus* Hood and Williams, I, 75; II, 117; IV, 38
*cassiae* n. sp., IV, 23, 38
*dozieri* (Watson), II, 117; IV, 38; XI, 28
*faurei* Hood, II, 118; IV, 39
*flavipes* Jones, II, 117; IV, 38
*floridensis* (Watson), II, 118
*funki* n. sp., IV, 23, 38
*gracilis* n. sp., IV, 18, 38; VI, 35
*graminis* Hood, II, 118; IV, 19, 39; XVI, 62
*gowdeyi* Hood, II, 119; IV, 38; VI, 21
*haplophilus* Hood, II, 118; IV, 38
*harnedi* n. sp., VI, 45
*humilis* Hood, II, 118; IV, 39; VI, 21
*jonesii* Karny, II, 117; IV, 38
*malifloris* Hood, II, 118; IV, 39
*merrilli* Watson, IV, 7, 38; VI, 21
*nigricornis* Jones, IV, 38
*nubilipennis* Hood, II, 119; IV, 39
*orlando* n. sp., II, 116, 117; IV, 13, 39
*panamaensis* n. sp., XV, 11
*pini* (Watson), IV, 39
*querci* n. sp., IV, 28, 39
*rabuni* n. sp., VI, 35, 37
*statices* Haliday, I, 75; II, 75, 117; IV, 13, 38; VI, 35
(?) *tibialis* Hood, II, 117; IV, 38
*variabilis* (Crawf.), II, 118; IV, 39
*verbasci* (Osborn), II, 118; IV, 39; VI, 35
*Hecalus apicalis* Van D., V, 9
*Heliconius charitonius*, XV, 50
*Heliothrips fasciapennis* Hinds, VI, 34
*fasciatus*, IV, 29
*haemorrhoidalis* Bouche, I, 6, 66; II, 66; III, 45; VI, 34; VII, 60
*phaceoli* Hood, VI, 21
*rubrocinctus* (Giard.), I, 67
*Helochara communis* Fitch, XIII, 47
*Hemerobius* sp., larva, XII, 41
*Hemicrepidius carbonatus* Lec., XIV, 54
Hemispherical scale, III, 47
*Hesperotingis duryi confusa* n. var., V, 48
*floridana* n. sp., XII, 4
*mississippiensis* n. sp., XII, 4
*occidentalis* n. sp., V, 49
Heteroptera, IX, 36
*Heteropthrips aesculi* Watson, I, 70; IV, 35
*analis* Hood. I, 71; IV, 36
*arisaemae* Hood, I, 70; IV, 35
*auranticornis* n. sp., VI, 35, 36
*azaliae* Hood, IV, 35
*borinquen* Hood, I, 70; IV, 35
*decacornis* Crawf., I, 70; IV, 35
*flavicornis* Hood, IV, 35
*lyoniae* Hood, IV, 35
*pectinifer* Hood, I, 71; IV, 35
*salicis* Shull., I, 70; IV, 35
*tiliae* n. sp., IV, 29, 36
*vitis* Hood, IV, 36
Hickory gall thrips, I, 76
*Hindsiana cocois* n. sp., V, 66; VI, 22, 23
*pini* n. sp., V, 65
*Hippodamia convergens* Guer., XI, 3, 50; XII, 41
*Hippomelas obliterata* (Lec.), XIV, 54
*planicosta* (Lec.), XIV, 54
*Holokalumma coloradensis*, XIX, 19, 20
*floridae*, XIX, 20, 25
*lyricum* n. sp., XIX, 20, 23
*Homalatylus terminalis* Say, XI, 3
*Homalodisca triquetra* (Fab.), V, 6
Homoptera, V, 2
*Hoplandrothrips*, II, 101
*flavoantennis* (Watson), IV, 20; VI, 35, 39
*funnebris* Hood, VI, 23
*pergandei* (Hinds), VI, 35; V, 65
*quercuspumilae* n. sp., IV, 19
*zanthopoides* Bagnall, VI, 58
*Hoplia equina* Lec., XIII, 72
*floridana* Fisher, XIII, 72
*mucorea* Germ., XIII, 71
*Hoplothrips* (See *Acanthothrips)*, II, 100
*Horistothrips* Morgan, II, 102
*Hydnocera scabra* Lec., XIV, 37
*suturalis* Klug., V, 67
*Hymenorus obscurus*, VI, 43
*Hymetta trifasciata* var. *balteata* McAtee, VIII, 35
*trifasciata* var. *trifasciata* Say, VIII, 35
*Hypera punctata* (Fab.), XV, 10
*Hyperodes cryptops* Dietz, IV, 34
*Hyperplatys maculata* Hald., XIV, 76
*Hypolampsis pilosa* (Ill.), VIII, 7
*Hyposoter interjectus* Gahan, XVII, 3
*Hypotrichia spissipes* Lec., XIII, 35
*Hysteropterum punctiferum* Walker, V, 16

*Icerya montserratensis* R. & H., XVII, 32
*purchasi* Mask., I, 6; XVII, 32; XVIII, 54
*Idiocerus nervatus* Van D., V, 6
*Idioderma varia* Van D., V, 4
*virescens* Van D., V, 4
*Idolothrips armatus* Hood, VI, 35
*flavipes* Hood, V, 65
*tuberculatus* Hood, VI, 21
*Iesta lisetta* Dyar, VI, 53
Indiana turnip thrips, I, 70
*Iridomyrmex humilis* Mayr., XVII, 25
*pruinosus* (Roger), XIV, 5
*pruinosus* var. *analis* (Andre), XIV, 5
*Ischnura kellicotti* Williamson, XIX, 41
*Isoparce cupressi* Roth. & Jordan, XII, 20

Japanese orange fruit fly, IV, 46
Jassinae, V, 9
*Jassus borealis* Spangb., V, 14
*melanotus* Spangb., V, 14
*olitorius* Say, V, 13
*Jonthonota nigripes* (Oliv.), VIII, 45
*Joruma* n. gen., VIII, 34
*adusta* n. sp., VIII, 35
*pisca* n. sp., VIII, 34
*Junonia coenia* Hubner, XIV, 52

*Karnyia* n. gen., VI, 6
*weigeli* n. sp., VI, 7
*Kelisia parvula* Ball, V, 18
*Kolla bifida* (Say), V, 6
*bifida fasciata* (Walker), V, 6
*geometrica* (Sign.), V, 6
*hartii* (Ball), V, 7
*similis* (Walker), V, 7

*Labidomera clivicollis* (Kirby), VIII, 3
*Lachnosterna* sp., XIV, 56
*Lachnus pini* L., V, 25, 63
*pini* parasites, V, 64
*Lactica iris* (Oliv.), VIII, 21
*tibialis* (Oliv.), VIII, 21
*Lamenia obscura* Ball, V, 17
*Lamprosoma floridanum* (Horn), VII, 55
*Laphygma exigua* Hbn., XVI, 33; XVII, 1
*frugiperda*, I, 10, 41
*Lasioderma serricorne* Fab., XVIII, 11
*Lasius brevicornis* Emery, XIV, 5
*(Acanthomyops) claviger* (Roger), XIV, 5
*niger alienus* var. *americanus* Emery, XIV, 5
*(Cthonolasius) umbratus mixtus* var. *aphidicola* Walsh., XVII, 26
*Leis conformis* Boisd., IX, 60; XVII, 27
*Lema brunicollis* Lac., VII, 39
*circumvittata* Clark, VII, 39
*collaris* Say, VII, 39
*confusa* Chev., VII, 39
*conjuncta* Lac., VII, 39
*cornuta* Fabr., VII, 39
*maculicollis* Lac., VII, 39
*sexpunctata albina* Lac., VII, 39
*sexpunctata ephippium* Lac., VII, 39
*solani* Fabr., VII, 39
*texana* Cr., VII, 39
*trilineata* (Oliv.), VII, 39
*Lepidosaphes beckii* Newn., I, 33; XVII, 32; XVIII, 54
*camelliae* Hoke, VI, 15
*gloverii* Pack., XVII, 32
*Leprus cyaneus* Cockerell, IX, 44
*Leptacmaeops subpilosa* (Lec.), XIV, 75
*Leptinotarsa decemlineata* (Say), VIII, 3
*Leptodictya costata* Parshley, IX, 38
*leinahoni Kirkaldy*, V, 42
*nicatella* Drake, IX, 38
*plana* Heidemann, IX, 38
*tabida* Herrick-Schaffer, IX, 38
*Leptogenys (Lobopelta) elongata* (Buckley), XIV, 2
*Leptoglossus gonagra*, XVIII, 46
*Leptostyla malpigheae* n. sp., V, 38
*Leptothorax fortinodis* Mayr., XVII, 24
*(Dichothorax) pergandei* subsp. *floridanus* Emery, XIV, 4
*Leptothrips aspersus* Hood, I, 74; II, 101
*mali* Hinds, III, 47; VI, 35; XI, 28
*Leptoypha costata* Parshley, IX, 38
*mcateei* n. sp., IV, 49; IX, 38
*morrisoni* n. sp., V, 43
*Leptura chrysocoma* Kby., XIV, 75
*Lepyronia angulifera* Uhl., V, 5
*quadrangularis* Say, V, 5
*Lerema accius* S. & A., VI, 1
*Leptothrips mali* (Fitch), I, 74; VII, 61; XI, 28
*Libellula jesseana* Williamson, XIX, 42
*Liburnia albolinosa* Fowler, V, 19
*andromeda* Van D., V, 19
*basivitta* Van D., V, 19
*culta* Van D., V, 19
*detecta* Van D., V, 19
*foveata* Van D., V, 19
*humilis* Van D., V, 19
*laminalis* Van D., V, 19
*osborni* Van D., V, 19
*puella* Van D., V, 19
*seminigra* Stal., V, 19
*slossoni* Ball, V, 18

*teapae* Fowl., V, 19
*tuckeri* Van D., V, 19
*weedii* Van D., V, 18
*Liburniella ornata* Stal., V, 18
*Ligyrodes relictus* (Say), XIV, 16
*Ligyrus gibbosus* (DeG.), XIV, 16
*laevicollis* Bates, XIV, 16
*neglectus* (Lec.), XIV, 17
*subtropicus* Blatchley, XIV, 16
*Limonia (Dicranomyia) floridana* (Osten-Sacken), XV, 65
*Limonius infuscatus* Mots., XIV, 53
*Limocercyothrips* n. gen., X, 9, 10
*bicolor* n. sp., X, 10
*Limothrips avena* Hinds, I, 67
*cerealium* Haliday, I, 67
*Lina scripta* (Fabr.), VIII, 4; XIV, 76
Linyphiidae, IX, 33
*Liothrips* Uzel, II, 102
*bakeri* Crawford, I, 76
*caryae* var. *floridensis* Watson, I, 76
*flavoantennis* Watson, I, 76
*floridensis* (Watson), IX, 39
*muscorum* n. sp., IX, 60; X, 9
*perseae* Watson, VII, 61
*seini* n. sp., X, 59
*zeteki* Hood, VII, 61
*Lissothrips (Prohissothrips) stratulus* n. sp., IX, 5
*Litargus balteatus* Lec., V, 67
*Livia caricis* Crawf., XIII, 51
*Lonatura bicolor* Van D., V, 11
*notata* n. sp., VI, 18
*Longitarsus*, VIII, 40
*aenola* Blatchley, VIII, 41
*cotulus* Blatchley, VIII, 40
*fuscicornis* Blatchley, VIII, 41
*impuncticollis* Blatchley, VIII, 41
*melanurus* Melsh., VIII, 41
*perforatus* Horn, VIII, 41
*pygmaeus* Horn, VIII, 40
*solidaginis* Horn, VIII, 41
*subcylindricus* Blatchley, VIII, 41
*tenuicornis* Blatchley, VIII, 40
*testaceus* Melsh., VIII, 40
*varicornis* Suffr., VIII, 40
Lubber grasshopper, I, 40
*Ludius inflatus* (Say), XIV, 54
*resplendens* (Esch.), XIV, 54
*Luperodes varicornis* Lec., VIII, 7
*Lymire edwardsi* Grote, XIII, 44
*Lypsimena fuscata* Lec., III, 47
*Lytta cyanipennis* Lec., XIV, 53
*nuttalli* Say, XIV, 53
*vulnerata* (Lec.), XIV, 53

*Macrobasis albida* (Say), XIV, 53
*Macrosiphum davisi* Del G., V, 25
*granaria* Buckt., V, 22
*mesosphaeri* n. sp., XVIII, 17
*pisi* L., V, 25
*rudbeckiae* Fitch, V, 23, 24
*sanborni* Gill., V, 23
sp., V, 23, 25
*viticola* Thos., V, 25
*Macromischa (Antillaemyrmex) floridanus* Wheeler, XVII, 24
*Macropsis sordida*, XIII, 46
*Macrotomella carinata* Van D., V, 18
Magnolia thrips, I, 66
*Malacothrips*, II, 100; VI, 34
*Mantoida maya* S. & Z., IX, 41
*Mantura floridana* Cr., VIII, 23
Mealybugs, V, 31
*Mecas bicallosa* Martin, XIV, 76
Mediterranean fruit fly, XIII, 25, 43
*Megalocysta championi* n. sp., V, 38
*Megalomerothrips* n. gen., II, 99
*eupatorii* n. sp., II, 99; VI, 21
*Megamelanus elongatus* Ball, V, 18
*spartini* Osb., V, 18
*seminigra* Stal., V, 18
*Megapenthes turbulentus* (Lec.), XIV, 54
*Megistocera longipes*, XI, 19
*Megoura solani*, V, 21, 24, 54
*Melampsalta parvula* Say, V, 3
*Melanophila acuminata* (DeG.), XIV, 55
*Melanorhopala balli* n. sp., XII, 3
Meloidae, XIV, 37
Melolonthinae, XII, 65; XIII, 33
Melyridae, XIV, 36
Membracidae, V, 3
*Menosoma* n. gen., XV, 4
*cincta* var. *binaria* n. var., XV, 5
*stonei* n. sp., XV. 5
*tortolita* n. sp., XV, 6
Merothripidae, I, 71
*Merothrips* Morgan & Hood, I, 71
*floridanus* n. sp., X, 61
*floridensis* n. sp., X, 60
*fuscipes* Hood, X, 61
*morgani* Hood, X, 61
*williamsi* Priesner, X, 61
*Mesamia nervosus* n. sp., VI, 20
*Mesochorus* sp., XVII, 4
*Mesogramma polita* Say, XIV, 24
*Mesothrips ficorum* Marchal, I, 76
*Metachroma dubiosum* (Say), VII, 57
*floridanum* Cr., VIII, 1
*interruptum* (Say), VII, 57
*laevicolle* Cr., VIII, 1
*luddidum* (Oliv.), VIII, 1
*maculipenne* Sz., VIII, 1
*marginale* Cr., VIII, 1
*pallidum* (Say), VIII, 1
*pellucidum* Lec., VIII, 1
*puncticolle* Lec., VIII, 1
*quercatum* (Fabr.), VIII, 1
*robusta* Blatchley, VII, 57
*strigicolle* Blatchley, VIII, 1
*terminale* Horn, VII, 57
*testacea* Blatchley, VIII, 1
*Meteorus autographae* Mues., XVII, 5

*Metriona bicolor* (Fabr.), VIII, 46
*bivittata* (Say), VIII, 46
*ormondensis* Blatchley, VIII, 46
*purpurata* Boh., VIII, 46
*Miathyria marcella* (Selys), XIX, 42
*Microdus* sp., VI, 14
*Microrhopala crebus* (Newn.), VIII, 44
*floridana* Sz., VIII, 44
*Microthrips piercei* Morgan, VIII, 51
*Microtomus sericans* Lec., V, 67
*Microweisia coccidivora* (Ashm.), XI, 8
*Microvelia summersi* n. sp., XII, 8
*Micrutalis calva* Say, V, 3
Millipedes, I, 42
*Mineola juglandis* (Le B.), XVI, 25
*Minuticornicus* n. gen., XII, 59
*gravidis* n. sp., XII, 60
*Mocis repanda* Fabr., XVII, 15
*Monachulus ater* (Hald.), VII, 52
*auritus* (Hald.), VII, 53
*saponatus* (Fabr.), VII, 52
*thoracicus* (Cr.), VII, 52
*Monellia caryella* Fitch, V, 24
*Monocesta coryli* (Say), VIII, 4
*Monomorium destructor* Jerdon, XVII, 23
*floricola* (Jerdon), XIV, 3
*minimum* (Buckley), XIV, 3
*pharaonis* (Linnaeus), XIV, 3
*Monopsis tabida* Spin., V, 15
*Monorhachis sordulentus* Uhl., V, 15
*Monoxia batisia* Blatchley, VIII, 6
*consputa* (Lec.), XIV, 76
*puncticollis* (Say), VIII, 6
Mourning-cloak butterfly, I, 6
Mullein thrips, I, 72
*Mycodiplosis moznettei* n. sp., V, 46
Mylabridae, XIV, 77
*Mylabris objectus* Say, XIV, 77
*pisorum* (L.), XIV, 77
*Myndus delicatus* Van D., V, 16
*enotatus* Van D., V, 16
*lunatus* Van D., V, 16
*pusillus* Van D., V, 16
*slossoni* Ball, V, 16
*Myochrous denticollis* (Say), VIII, 2
*Myrmecina graminicola americana* var. *brevispinosa* Emery, XIV, 4
Myrmycinae, XIV, 3
*Myrmecothrips* n. gen., IV, 20
*querci* n. sp., IV, 20
*Myzus eriobotryae* n. sp., XVIII, 49
*persicae* Sulz., V, 21, 22, 54; XI, 1; XVII, 31

*Nasutitermes cornigera* Motsch., XVII, 31
*Necrophorus marginatus* Fab., XIV, 36
*Nectarophora rosae*, VII, 5
Negro bugs, I, 42
*Nemognatha dichroa* Lec., XIV, 53
*punctipennis* Lec., XIV, 53
*Neocoelidia tumidifrons* Gill. & Bak., V, 14
*Neoslossonia putnami* (Osb.), V, 9
*Neosymydobius luteus* n. sp., XVI, 10
*Neotermes castaneus* Burm., XVIII, 33
*Neotettix proavus* Rehn & Hebard, IX, 42
*Neothrips* Hood, II, 100
Nettling caterpillars, IX, 45
*Neurocordulia virginiensis* Davis, XIX, 41
*Nezara viridula*, XII, 17; XVIII, 43
*Norvellina* n. gen., XV, 2
*apachana* n. sp., XV, 4
*helenae* n. sp., XV, 3
*oregona* n. sp., XV, 3

*Ochodaeus frontalis* Lec., XII, 28
*Ochrosidia* Casey, XIV, 14
*immaculata* (Oliv.), XIV, 14
*parallela* Csy., XIV, 14
*puberula* (Lec.), XIV, 15
*villosa* (Burm.), XIV, 15
*Octotoma plicatula* (Fabr.), VIII, 44
*Odontaeus corniger* (Melsh.), XII, 29
*filicornis* (Say), XII, 29
*Odontocorynus scutellum-album* Say, IV, 34
*selebrosus* Casey, IV, 35
*Odontomachus haematodes* subsp. *insularis* Guerin, XIV, 2
*Odontothrips* Serville, III, 71
*phaleratus* (Haliday), I, 67
*Oecleus borealis* Van D., V, 15; XIII, 50
*obtusus* Ball, XIII, 50
*Oedaleothrips andrei* n. sp., XVII, 49, 64
*hookeri* Hood, XVII, 64
*hubbelli* Watson, XVII, 64
*jacksoni* Hood, XVII, 63, 64
*querci* Watson, XVII, 64
*walteri* n. sp., XVII, 48, 64
*Oedionychis concinna* (Fabr.), VIII, 17
*fimbriata* (Forst.), VIII, 17
*gibbitarsa* (Say), VIII, 17
*indigoptera* Lec., VIII, 18
*miniata* (Fabr.), VIII, 18
*petaurista* (Fabr.), VIII, 17
*quercata* (Fabr.), VIII, 18
*quercata obsidiana* (Fabr.), VIII, 18
*saltatra* Blatchley, VIII, 18
*scalaris* Melsh., VIII, 18
*sexmaculata* (Ill.), VIII, 18
*suturalis* (Fabr.), VIII, 18
*thoracica* (Fabr.), VIII, 17
*ulkei* Horn, VIII, 18
*vians* (Ill.), VIII, 17

*Oliarus complectus* Ball, V, 15
*difficilis* Van D., V, 15
*placitus* Van D., V, 15
*quinquelineatus* Say, V, 15
*slossoni* Van D., V, 15
*vicarius* Walker, V, 15
*Olla abdominalis* Say, VI, 10; XI, 5
*abdominalis* var. *sobrina* Casey, XI, 6
*Oliarus franciscanus* (Stal.), XIII, 50
*Omnatothrips*, II, 102
*Oncometopia lateralis* (Fab.), V, 6; XIII, 47
*undata* (Fab.), V, 6
*Oncideres cingulata*, XV, 72
*Oniticellus cubiensis* Cash, XII, 13
Onion thrips, I, 66
*Onthophagus alutaceus* Blatchley, XII, 12
*hecate* Panz., XII, 12
*janus* Panz., XII, 12
*nigrescens* Blatchley, XII, 12
*orpheus* Panz., XII, 12
*pennsylvanicus* Harold, XII, 12
*polyphemi* Hubbard, XII, 12
*tuberculifrons* Harold, XII, 13
*Ophiderma flavicephala* Godg., V, 4
*salamandra* Fairm., V, 4
*Ophryastes sulcirostris* (Say), XV, 10
Orange aphids, I, 39
*Orectis callosa* (Boh.), VIII, 45
*Ormenis proxima* (Walker), V, 17
*pruinosa* (Say), V, 17
*ruficascia* (Walker), V, 17
*saucica* Van D., XIII, 50
*septentrionalis* (Spin.), V, 17
*Oropeza subalbipes*, XI, 19
*Orthaea* sp., XV, 71
*Orthaltica copalina* (Fabr.), VIII, 22
*Oryzaephilus surinamesis* (L.), XIV, 55
*Otiocerus abbotti* Kirby, V, 17
*degeeri* Kirby, V, 17
Our common chigger, VIII, 49
*Oxoplus jocosus* Horn, XIV, 76

*Pachybrachys atomarius* (Melsh.), VII, 51
*carbonarius* Hald., VII, 52
*characteristicus* Suffr., VII, 52
*conformis* Suffr., VII, 51
*discoideus* Bowd., VII, 52
*femoratus* (Oliv.), VII, 51
*hepaticus* (Melsh.), VII, 52
*illectus* Fall., VII, 51
*litiguosus* Suffr., V, 67; VII, 52
*lodingi* Bowd., VII, 51
*luridus* (Fabr.), VII, 52
*obsoletus* Suffr., VII, 52
*osceola* Fall., VII, 51
*othonus* (Say), VII, 52
*pallidipennis* Suffr., VII, 52
*peccans* Suffr., VII, 51
*pubescens* (Oliv.), VII, 51
*pulvinatus* Suffr., VII, 52
*roboris* Fall., VII, 51
*sorbinus* Hald., VII, 51
*spumarius* Suffr., VII, 51
*stygicus* Fall., VII, 51
*tridens* (Melsh.), VII, 51
*trinotatus* (Melsh.), VII, 52
*varians* Bowd., VII, 51
*viduatus* (Fab.), V, 67; VII, 52
*Pachystethus marginata* (Fabr.), XIII, 75
*Pachyzancha hipunctalis* Fab., XIV, 21
*Pantala hymenea* (Say), XIX, 41
*accius* S. & A., VI, 1
*Papilio anchisiades* Esp., XVII, 45
*polydamas* L., VII, 42
*thoas* Linn., XVII, 45
*troilus* form *iloneus* A. & S., I, 6; VII, 42
*Parabolocratus flavidus* Sign., V, 9
*Paracoelidea tuberculata* Baker, V, 14
*Parakalumma robustum*, XIX, 3
*robustum floridanum* n. subsp., XIX, 4
*Paratettix toltecus* (Saussure), IX, 42
*Paratrechina (Nylanderia) bourbonica* Forel. var., XIV, 6
*loginicornis* (Latreille), XIV, 5
*(Nylanderia) parvula* Mayr., XIV, 6
*(Nylanderia) vividula* (Nylander), XIV, 6
*Paratrioza cockrelli* (Sulz.), XIII, 51
*Parlatoria pergandei* Comst., XVII, 32
*Paria canella* (Fabr.), VIII, 2
*canella aterrima* (Oliv.), VIII, 2
*canella quadrinotata* (Say), VIII, 2
*canella sexnotata* (Say), VIII, 2
*canella thoracica* (Melsh.), VIII, 2
*opacicollis* Lec., VIII, 3
*Patchia obscura* n. sp., XVI, 21
*Paxilla obesa* (Scudder), IX, 43
*Pelidnota lutea* (Oliv.), XIII, 77
*punctata* Linn., XIII, 76
*Pelitropis rotulata* Van D., V, 16
*Pemphigus attennatus* Osb., V, 25
*Penthima americana* Fitch., V, 8
*Pergandeidia corni* n. sp., XIII, 2, 3
*Peregrinus maidis* Ashm., V, 18
*Phaedon viridis* (Melsh.), VIII, 4
*Phanaeus carnifex* (L.), XII, 11
*difformis* Lec., XII, 11
*igneus* Mac L., XII, 11
*igneus nigrocyaneus* Mac L., XII, 11
*Phediole anastasii* Emery, XVII, 23
*dentata* Mayr., XIV, 3

*dentata* var. *commutata* Mayr., XIV, 3
*flavens* subsp. *floridana* Emery, XIV, 3
*megacephala*, XVII, 23
*metallescens* Emery, XIV, 3
*morrisi* Forel., XIV, 3
*Pheletes californicus* (Mann.), XIV, 53
*Phileurus sulcifer* Csy., XIV, 27
*truncatus* (Boh.), XIV, 27
*valgus* (Linn.), XIV, 27
*Phlepsius attractus* Ball., V, 12
*cinereus* Van D., V, 12
*collitus* Ball, V, 12
*costomaculatus* Van D., V, 12
*decorus* Osb., V, 12
*distinctus* Lathrop, V, 12
*excultus* Uhl., V, 12
*floridanus* Ball, V, 12
*fulvidorsum* Fitch, V, 12
*fuscipennis* Van D., V, 12
*irroratus* Say, V, 12; XIII, 48
*lippulus* Ball, V, 12
*mimus* Baker, V, 12
*nebulosus* Van D., V, 12
*nudus* Ball, V, 12
*ovatus* Van D., XIII, 48
*punctiscriptus* Van D., V, 12
*slossoni* Ball, V, 12
*truncatus* Van D., V, 12
Phloeothripidae, I, 71; VI, 6
*Phloeothrips* Haliday, II, 101
*armiger* Jones, I, 75
*floridensis* Watson, I, 75
*jennei* Jones, I, 75
*maculatus* Hood, I, 76
*pergandei* Hinds. I, 75; V, 65
*raptor* Crawford, I, 75, 76
*uzeli* Hinds, I, 76
*Phlyctaenia rubigalis* Guenee, XIV, 21; XV, 28, 72; XVII, 61; XIX, 49
*Pholus fasciatus*, XV, 49
*Pharocera claripennis* Macq., XIII, 44
*Phyllobrotica costipennis* Horn, VIII, 6
*discoidia* (Fabr.), VIII, 6
*Phyllocoptes oleivorus* (Ashm.), XII, 41
*Phyllodictus* n. gen., X, 18
*flabellatus* Ball, X, 19
*nitens* Van D., X, 20
*tessellatus* n. sp., X, 19
*Phyllodinus nervatus* Van D., X, 17
*nitens* Van D., V, 18
*Phylloscelis atra* Germ., V, 15
*atra* var. *albovenosa* Mel., V, 15
*pallescens* Germ., V, 15
*Phyllothrips aspersus* Hood, I, 74
*Phyllotreta chalybeipennis* (Cr.), VIII, 42
*Phyllophaga aemula* Horn, XIII, 69
*clemens* (Lec.), XIII, 53
*clypeata* (Horn), XIII, 70
*crenulata* (Froel), XIII, 69
*debilis* (Lec.), XIII, 54
*diffinis* (Blatchley), XIII, 55
*dispar* (Burm.), XIII, 54
*elongata* (Linell), XIII, 53
*fosteri* (Burm.), XIII, 56
*fraterna* Harris, XIII, 56
*futilis* (Lec.), XIII, 54
*glabberima* (Blanch.), XIII, 53
*gracilis* (Burm.), XIII, 54
*hirticula* (Knoch), XIII, 56
*infidelis* (Horn), XIII, 56
*latifrons* (Lec.), XIII, 52
*luctuosa* (Horn), XIII, 56
*micans* (Knoch), XIII, 55
*parra* (Linell), XIII, 53
*parvidens* (Lec.), XIII, 69
*parvidens hysteropyga* (Davis), XIII, 69
*pephilida* (Say), XIII, 53
*postrema* (Horn), XIII, 54
*prununcula* (Burm.), XIII, 52
*pygidialis* (Schffr.), XIII, 69
*quadrata* (Smith), XIII, 55
*quercus* (Knoch), XIII, 69
*subpruinosa* (Csy.), XIII, 55
*tristis* (Fabr.), XIII, 70
*ulkei* (Smith), XIII, 55
*Phyllotreta liebecki* Schaeffer, VIII, 42
*picta* (Say), VIII, 42
*vittata* (Fabr.), VIII, 41
*Phyllotrox nubifer* Lec., XV, 10
*Phyllovera caryae-scissa*, V, 24
sp., V, 24
*Phymatodes dimidiatus* (Kby.), XIV, 76
*Physonata unipunctata* (Say), VIII, 45
*Physothrips* Karny, III, 71; VIII, 50
*albus* (Moulton), III, 71
*blacki* n. sp., III, 32, 71
*costalis* (Jones), III, 71
*ehrohornii* (Moulton), III, 71
*longirostrum* (Jones), III, 71
*orchardii* (Moulton), III, 71
*Phytonomus posticus* (Gyll.), XV, 10
*Phytoptus calacladophora*, I, 42
*Pieris monuste* (L.), VII, 8; XIX, 55
Pine thrips, I, 73
Pink boll worm, I, 24
*Pinotus carolinus* (L.), XII, 9
*Pipunculus dubius* Cress., XVII, 34
*horvathi* Kertesz., XVII, 34
*subnitens* Cress., XVII, 34
*unguiculatus* Cress., XVII, 34
*Pissonotus ater* Van D., V, 18
*basalis* Van D., V, 18
*brunneus* Van D., V, 18
*delicatus* Van D., V, 18

*marginatus* Van D., V, 18
*pallipes* Van D., V, 18
*Platycotis sagittata* Germ., V, 4
*vittata* Fab., V, 4
*Platymetopius elegans* Van D., V, 9
*frontalis* Van D., V, 9
*latus* Baker, XIII, 47
*loricatus* Van D., V, 9
*magdalensis* Prov., V, 9
*nasutus* Van D., V, 9
*parvus* Lathrop, V, 9
*slossoni* Van D., V, 9
*verecundus* Van D., V, 10
*Platytes acerata* Dyar, VI, 53
*multilineatella* Hulst., VI, 53
*punctilineella* B. & McD., VI, 53
*squamulellus* Zeller, VI, 53; XI, 13
*Plectothrips*, XIV, 62
*bruneri* n. sp., XVII, 18
*montanus* n. sp., XVII, 16
*Plesiothrips andropogoni* n. sp., XVIII, 24
*andropogoni watsoni* n. var., XVIII, 26
*perplexus* (Beach), I, 66
*Pleurophorus parvulus* Chev., XII, 28
*Pocadius helvolus* Er., V, 67
*Podisus maculiventris* Say, XIV, 21; XVII, 12
*Podothrips semiflavus* Hood, IX, 58
*Pogonocherus parvulus* Lec., XIV, 76
*Pogonomyrmex* (Latreille), XIV, 3
*Polistes fuscatus* var. *rubiginosus* Lep., XVII, 12
*Polymaechus* LeConte, XIV, 13
*brevipes*, Lec., XIV, 13
*Polyphylla decemlineata* (Say), XIV, 56
*gracilis* Horn, XIII, 70
*occidentalis* (L.), XIII, 70
*Polyporothrips* n. gen., X, 61
*longipilosus* n. sp., X, 62
*Ponera coarctata* subsp. *pennsylvanica* (Buckley), XIV, 2
*ergatandria* Forel, XVII, 22
*opaciceps* Mayr., XIV, 2
*trigona* var. *opacior* Forel, XIV, 2
*Pontia monuste*, XV, 72
*Porphyraspis cyanea* (Say), VIII, 45
*Prenolepis nodifera*, XIV, 24
*(Nylanderia) bourbonica* Forel, XIV, 24
*imparis*, XIV, 6
*imparis* var. *testace* Emery, XVII, 26
*Prionapteryx achatina* Zeller, XI, 14
*nebulifera* Stephens, VI, 54; XI, 13
*serpentella* Kearfott, VI, 54
*Prionus californicus* Mots., XIV, 56
*Prodenia latifascia* Walker, VI, 43
*Prokelesia marginata* Van D., V, 18
*Prolissothrips* n. subgen., IX, 5
*Prosopothrips brunneus* n. sp., XV, 51
*Prospaltella* sp., III, 48
*Protokalumma depressum* x *pterotum*, XIX, 3
*Protolebra braziliensis* Baker, V, 14
*Psammobius cruentus* Harold, XII, 27
*schwarzi* Linell, XII, 27
*Pseudococcus citri* Risso, III, 47; XVII, 32
*nipae* Mask., III, 45
*Pseudaonidia (Selenaspidus) articulatus* Morg., XVII, 32
*Pseudomyra brunnea* F. Smith, XIV, 3
*elongata* Mayr., XIV, 2
*flavidula* F. Smith, XIV, 2
*pallida* F. Smith, XIV, 2
*Pseudothrips inequalis* Beach, I, 70
*Psithyrus variabilis*, VII, 25
*Psocus* sp., VI, 44
*Psorophora*, III, 29
*Psylliodes convexior* Lec., VIII, 42
*elegans* Horn, VIII, 42
*punctulata* Melsh., VIII, 42; XIV, 77
*Pulvinaria pyriformis* Ckll., III, 46
Purple mite, I, 39
Purple scale, XI, 53
Pyriform scale, III, 46
*Pyrophorus atlanticus* Hyslop, IV, 17
*phsoderus* Germ., IV, 17
*Pyrota terminata*, XIV, 37

*Raphiptera minimella* Robinson, VI, 54
Red-banded thrips, I, 67
Red scale on camphor, I, 34
Red spider hunter, I, 67
Red spiders, I, 39
*Rhabdopterus blatchleyi* Bowd., VII, 56
*praetexta* (Say), VII, 56
*Rhopalosiphum gnaphalii* n. sp., XVII, 41
*sonchi* Oestlund, V, 25
*Rhychites bicolor* var. *Wickhami* Ckll., XV, 10
*Rhyssemus scaber* Hald., XII, 27
*Rodolia cardinalis* Muls., XI, 8, 51
*Roplisa floridana* Csy., XIV, 32
*Rosalia funebris* Mots., XIV, 76
Rust mites, I, 35; V, 33; VII, 21
*Rutela* Latreille, XIV, 13
*formosa* Burm., XIV, 13

*Saissetia hemisphaerica* Targ., III, 47; XVII, 32
*oleae* Bernard, III, 45
*Saperda concolor* Lec., XIV, 76
*populnea* (L.), XIV, 76
*Scaphoideus albonotatus* Van D., V, 10
*auronitens* Prov., V, 10
*consors* Uhl., V, 10
*cruciatus* Osb., V, 10

*fasciatus* Osb., V, 10
*immistus* Say, V, 10
*jucundus* Uhl., V, 10
*neglectus* Osb., V, 10
*obtusus* Osb., V, 10
*opalinus* Osb., V, 10
*scalaris* Van D., V, 10
*unicolor* Osb., V, 10
Scarabaeidae, XI, 34; XIV, 13, 56
*Schistocera americana*, XVIII, 5
*Schistocerca paranencis* Burm., XVII, 31
*Scirtes orbicutatus* (Fab.), V, 67
*Scirtothrips owreyi* n. sp., VIII, 51
*Scolops angustatus* Uhl., V, 14; XIII, 50
*dessicatus* Uhl., V, 15
*hesperius* Uhl., XIII, 50
*perdix* Uhl., XIII, 50
*spurcus* Uhl., V, 14
*sulcipes* Say, V, 15; XIII, 50
*Scolothrips sexmaculatus* Pergande, I, 67; III, 48
Scolytidae, XV, 10
*Scolytidus rugulosus* Ratz, XV, 10
*Scymnus americana*, V, 67
*collaris* Melsh., XI, 50
*kinzeli* Casey, III, 47
*terminatus* Say, XI, 50
*utilis* Horn, III, 47
*Sedulothrips hubbelli* Watson, VII, 61
*Selenothrips rubiocinctus* (Giard.), VII, 60
*Serica aspera* Dawson, XIII, 34
*delicata* Dawson, XIII, 34
*errans* n. sp., XIII, 35
*iricolor* (Say), XIII, 34
*lecontei* Dawson, XIII, 35
*pusilla* Dawson, XIII, 34
*sericea* (Ill.), XIII, 34
*spicula*, XIII, 35
*tantula* Dawson, XIII, 34
*vespertina* (Gyll.), XIII, 34
*Sericothrips variabilis* (Beach), VI, 34
*Silpha bituberosa* Lec., XIV, 36
*ramosa* Say, XIV, 36
Silphidae, XIV, 36
*Sipha flava* Forbes, V, 22
*minuta* n. sp., XVI, 23
*Siphonophora cucurbitae* Middleton, V, 21, 25
*Sitona hispidulus* (Fab.), XV, 10
*Smilia camelus* (Fab.), V, 3
*fasciata* A. & S., V, 3
*Solenopsis (Euopthalma) globularis* subsp. *littoralis* Creighton, XVII, 23
*geminata* Fabr., XVII, 46
*geminata* subsp. *rufa* (Jerdon), XIV, 3
*laeviceps* Mayr., XIV, 3
*picta* Emery, XIV, 3
*xyloni* McCook, XVII, 23
*Spangbergiella mexicana* Baker, V, 9
*vulnerata* Uhl., V, 9
*Sparganothis (Platynata)* sp., III, 47
*Spharagemon aequale* Say, IX, 44
*cristatum* Scudder, IX, 44
*inornatum* Morse, IX, 44
*Sphenophorus venatus* Say, V, 68
*Sphinx cuppressi* Bois, XII, 20
*Spilochalcis albifrons* Walsh, XVII, 6
*hirtifemora* (Ashm.), XVII, 6
*Spondylis uniformis* Mann., XIV, 56
Staphylinidae, XIV, 36
*Stegomyia*, III, 28
*Stenispa metallica* (Fabr.), VIII, 43
*Stenocorus vestitus* Hald., XIV, 75
*Stenocranus dorsalis* Fitch., V, 18
*dorsalis* var. *lautus* Van D., V, 18
*palaetus* Van D., V, 18
*saccharivorus* Westw., V, 18
*Stephanitis blatchleyi* n. sp., IX, 37
*Stephanothrips occidentalis* H. & W., XVIII, 44
*Stephanucha areata* (Fabr.), XIV, 31
*thoracica* Csy., XIV, 31
*Sticolobur 3-lineatus* Funk, V, 4
*Stictocephala diminuta* Van D., V, 3
*festina* Say, V, 3; XIII, 46
*gillettei* Goding, XIII, 46
*inermis* (Fabr.), XIII, 45
*lutea* Walker, V, 3
*pacifica* Van D., XIII, 46
*substriata* Walker, V, 3
*Stigmatomma pallipes* (Haldeman), XIV, 2
*Stobaera affinis* Van D., V, 18
*concinna* Stal., V, 18
*pallida* Osb., V, 18
*quadripustulata* Van D., V, 18
*tricarinata* (Say), XIII, 50
*Stomoxys calcitrans* L., XIX, 33
*Strategus atroluceus* Csy., XIV, 26
*autaeus* (Fabr.), XIV, 26
*Strigodermella pygmaea* (Fabr.), XIII, 76
*Strymigenys (Strumigenys) louisianae* Roger, XVII, 24
*Sympetrum ambiguum* (Rambur), XIX, 42
*corruptum* Hagen, XIX, 41
*Symphothrips*, IX, 29
*Symphyothrips punctatus* Hood & Williams, I, 73; VI, 23; VII, 61
*reticulatus* n. sp., IX, 29
*Sympiesis dolichagaster* Ashm., III, 47
*Syntomeida epilais* Walker, XV, 57; XVIII, 39
*Syrphus wiedmanni* Johns, XI, 52
*Systena elongata* (Fabr.), VIII, 40
*frontalis* (Fabr.), VIII, 40
*marginalis* (Ill.), VIII, 40
*pallipes* Sz., VIII, 40
*taeniata* (Say), XIV, 77

Tabanidae, I, 43; XIX, 58
*Tabanus abdominalis* Fab., XIX, 61
*acutus* Bigot., XIX, 61
*americanus* Forst., XIX, 62
*annulatus* Say, XIX, 62
*atratus* Fab., XIX, 62
*birdiei* Whit., XIX, 62
*bishoppi* Stone, XIX, 62
*cayensis* Fairch., XVIII, 53; XIX, 62
*coarctatus* Stone, XIX, 62
*coffeatus* Macq., XIX, 62
*crepuscularis* J. Bequaert, XIX, 62
*endymion* O. S., XIX, 62
*floridensis* Hine, XIX, 62
*fronto* O. S., XIX, 62
*fulvulus* Wied., XIX, 62
*fumipennis* Wied., XIX, 62
*gladiator* Stone, XIX, 63
*gracilis* Wied., XIX, 63
*imitans* Walk. *(fuscopunctatus* Macq.), XIX, 63
*johnsoni* Hine, XIX, 63
*lacustris* Stone, XIX, 63
*longiusculus* Hine, XIX, 63
*megerlei* Wied., XIX, 63
*melanocerus* Wied., XIX, 63
*molestus* Say, XIX, 63
*mularis* Stone, XIX, 63
*nigrescens* var. *atripennis* Stone, XIX, 63
*nigrovittatus* Macq., XIX, 63
*petiolatus* Hine, XIX, 63
*psammophilus* O. S., XIX, 63
*Tachypterus quadrigibbus* Say, IV, 34
*Taeniothrips* Serville, III, 71
*xanthius* Williams, VIII, 50
*Tangia sponsa* Uhl., V, 15
*Tanymecus lacaena* Hbst., IV, 34; V, 68
*Tapinoma littorale* Wheeler, XIV, 5
*melanocephalum* (Fabricius), XIV, 5
*sessile* (Say), XIV, 5
*Targionia sacchari* (Ckll.), VI, 15
*Telamona collina* Walker, V, 3
*conica* Walker, V, 3
*monticola* Fab., V, 3
*praealta* Fowl., V, 3
*subfalcata* Van D., V, 3
*Telenomus megacephalus* Ashm., XII, 17
*Teleonemia chiliensis* Reed, V, 50
*cylindricornis* Champion, IX, 38
*vanduzeei* n. sp., III, 24
*Tenebrio molitor*, XIV, 55
*Tenuipalpus bioculatus* McGr., I, 39
*Tetramorium simillimum* Smith, XVII, 24
*(Triglyphothrix) striatidens* Emery, XVII, 24
*Tetranychus citri* McGr., I, 39
*sexmaculatus* McGr., I, 39; XII, 41; XV, 15
*yothersi* McGr., I, 39; III, 45; XV, 71
*Tetraopes femoratus* Lec., XIV, 76
*Tetrastichus blephyria*, XI, 3
*Tettigidea prorsa* Scudder, IX, 43
*Thamnotettix aureovittatus* Sand. & DeL., V, 12
*belli* (Uhl.), XIII, 49
*brittoni* Osb., V, 13
*colonus* (Uhl.), V, 13
*comata* Ball, V, 13
*clitellarius* (Say), XIII; 48
*geminatus* Van D., XIII, 48
*montanus* Van D., XIII, 49
*nigrifrons* (Forbes), V, 13
*orbonata* Ball, V, 13
*subcuprea* (Prov.), V, 13
*Thaumatopsis actuellus* B. & McD., VI, 54
*fernaldellus* Kearfott, VI, 54
*floridellus* B. & McD., VI, 54; XI, 14
*pectinifer* Zeller, XI, 14
*Thecla halesus*, VII, 16
*Therioaphis tectae* n. sp., XVI, 11
*Thionia bullata* Say, V, 16
*simplex* Germ., V, 16
*Thrips abdominalis* Crawford, I, 66
*crenatus* n. sp., VI, 35
*flavicauda*, XI, 28, 43
*impar* Hood, VI, 35; XVI, 62
*panicus* n. sp., XIII, 61
*perplexus* Hinds, I, 66
*quincinensis* Morgan, I, 66; VI, 34
*spinosus* Morgan, I, 66
*tabaci* Lindeman, I, 66
*tritici* Fitch, VII, 9
*Tibicen biconica* Walker, V, 2
*bicosta* Walker, V, 2
*davisi* (Sm. & Gr.), V, 2; XIV, 41, 61
*erratica* (Osb.), V, 2
*grossa* (Fab.), V, 2
*hieroglyphica* Say, V, 2
*linnei* (S. & G.), V, 2
*lyricen* (DeGeer), V, 2
*pruinosa* Say, V, 2
*reperta* (Uhl.), V, 2
*sayi* (Sm. & Gr.), V, 2
*sayi* var. *australis* (Davis), V, 2
*sordidata* Uhl., V, 2
*viridifascia* (Walker), V, 2
*vitripennis* Say, V, 2
*Tineola uterella* Wals., XVII, 66
Tingidae, V, 38; VII, 13
*Tinobregmus vittatus* Van D., V, 14
*Tipula caloptera*, XI, 19
Tobacco thrips, I, 67
*Tomaspis bicincta* (Say), V, 5
*Toumeyella* sp., XVII, 32
*Toxoptera aurantii* Koch, V, 23; XVII, 31
*graminum* Rond, V, 21, 54

*Trachythrips watsoni* Hood, XVI, 62
*Trepobates comitialis* n. sp., XII, 7
*trepidus* Drake & Harris, XII, 8
*Triachus atomus* (Suffr.), VII, 55
*cerinus* Lec., VII, 55
*postremus* Lec., VII, 55
*Trialeurodes floridensis* Q., III, 45
*Tribolium confusum* Jacq., XIV, 55
*Trichiotinus affinis* (G. & P.), XIV, 34
*bibens* (Fabr.), XIV, 34
*lunulatus* Fabr., XIV, 35
*obesulus* Csy., XIV, 34
*piger* (Fabr.), XIV, 33
*rufobrunneus* Csy., XIV, 34
*texanus* (Horn), XIV, 34
*viridulus* (Fabr.), XIV, 35
*viridulus semiviridis* (Csy.), XIV, 35
*Trichodes nutalli* Kby., XIV, 36
*ornatus* Say, XIV, 36
*Trichothrips ambitus* Hinds, II, 98
*americanus* Hood, II, 98; XVI, 62
*amplipennis* Morgan, I, 72
*angusticeps* Hood, II, 98
*anomocerus* Hood, II, 98; XI, 29; XVIII, 61
*bratleyi* n. sp., XVIII, 61
*brevitubus* n. sp., II, 97, 98
*flavicauda* Morgan, II, 98
*fuscus* Morgan, I, 73
*hoerneri* n. sp., XV, 52
*longitubus* Hood, II, 98
*marginalis* Hood & Williams, II, 99; VIII, 50
*pergandei* Hood, VIII, 50; XVI, 62; XVIII, 61
*smithii* Hood, II, 98
*terminalis* Hood and Williams, I, 72; II, 99
*zonatus* Hood, II, 99
*Tricyphona inconstans*, XI, 19
*Trigona* sp., XVII, 47
*Trigonopeltastes delta* (Forst.), XIV, 33
*Trimerotropis agrestis* McNeill, IX, 44
*albolineata* Bruner, IX, 44
*huroniana* Walker, IX, 44
*rubripes* Rehn., IX, 44
*Trirhabda brevicornis* Lec., VIII, 5
*tomentosa* (Linn.), VIII, 5
*virgata* Lec., VIII, 5
*Tritogenaphis eupatorifoliae* n. sp., XVIII, 20
*Tritona affinis*, V, 67
*Trox asper* Lec., XII, 64
*erinaceus* Lec., XII, 64
*insularis* Chev., XII, 64
*monachus* Hbst., XII, 64
*scaber* (L.), XII, 65
*scabrosus* Beauv., XII, 63
*suberosus* Fabr., XII, 63
*terrestris* Say, XII, 64
*tuberculatus* (DeG.), XII, 64
*Tylopelta brevis* Van D., V, 4
*Typhlocyba flavoscuta* Gill, V, 14
*rubricata* Van D., V, 14
*Typlocyba* sp., XIII, 49
*Typocerus velutina* (Oliv.), XIV, 75
*Typophorus viridicyaneus* Cr., VIII, 2

*Umbonia crassicornis* (A. & S.), V, 4
*Uroplata porcata* (Melsh.), VIII, 44

*Vanduzea triguttata* (Burm.), V, 4
*Vanessa antiopa* L., I, 6
*Velia stagnalis* Burm., III, 2
*watsoni* n. sp., III, 1
Velvet bean caterpillar, I, 11
*Victorina steneles* L., VII, 43

*Wasmannia auropunctata* (Roger), XIV, 4

*Xenomyrmex stolli* subsp., *rufescens* Wheeler, XVII, 25
*stolli* subsp., *floridanus* Emery, XIV, 3
*Xenufeus ruskini* Gir., VI, 13
*Xestocephalus pulicarius* Van D., V, 9
*tessellatus* Van D., V, 9
*Xylomyges eridania* Cramer, XII, 40, 62; XV, 72
*Xyloryctes satyrus* (Fab.), XIV, 56

*Zele melleus* (Cress.), XVII, 6
*Zetes banksi*, XIX, 13, 18
*bradleyi* n. sp., XIX, 7
*elegantulus* n. sp., XIX, 6, 12
*elimatus louisianae*, XIX, 8, 12
*emarginatus*, XIX, 8
*emarginatus laevis* n. subsp., XIX, 8
*macroptera matecumbei* subsp. n., XIX, 5, 12
*minutus*, XIX, 13, 17
*weberi* n. sp., XIX, 10, 13
*weberi plumalae* n. subsp., XIX, 12, 14
*Zonitis flavida* Lec., XIV, 53
*Zygogramma exclamationis* (Fab.), XIV, 76
*Zygothrips* Uzel, II, 101; XVI, 62
*bicolor* Hood & Williams, I, 75
*floridensis* n. sp., VI, 21